GO HE

Sho

## Role of genetic factors in lung cancer

- 1. Environmental factors, including smoking, are more important than genetic ones.
- 2. Studies on smoking-discordant identical twins too few data at present.

### 3. Possible mechanisms

- (i) Genetically-determined variation in Aryl Hydrocarbon Hydroxylase (AHH).
- (ii) Genetically-determined variation in susceptibility to DNA damage by chemicals present in smoke.

Shill 2

## Cancers associated with cigarette smoking

(US Surgeon General, 1979)

ICD* Definite	Site of Cancer	Risk of death compared with non-smokers	
162-3	Lung, Bronchus	4.5 - 15.9	
161	Larynx	6.1 - 13.1	
140-1	Buccal cavity	1.0 - 13.0	
145-8	Pharynx	2.8 - 12.5	
Probable			
150	Oesophagus	0.7 - 6.6	
181	Urinary Bladder	1.0 - 6.0	
157	Pancreas	1.6 - 2.7	
Possible			
180	Kidney	1.1 - 1.6	
151	Stomach	0.8 - 2.3	
152-3	Intestines including Colon	0.5 - 1.4	
154	Rectum	0.6 - 2.7	

<sup>\*</sup> International Classification of Diseases Code Number(s)

<sup>+</sup> In 8 different prospective studies.

Mortality Ratios for lung cancer in 4 prospective studies in males

(US Surgeon General, 1979)

Study	Non- smoker	Pipe smoker	Pipe & Cigar smoker	Cigar smoker	Cigarette smoker
Hammond & Horn (1958)	1.0	3.0		1.0	10.7
Doll & Peto (1976)	1.0	-	5.8	_	14.0
Best & McGregor (1966)	1.0	4.3	-	2.9	14.9
Kahn (1966)	1.0	1.8	1.7	1.6	12.1

gh Jà

Shole 4

# Approaches to reducing cancer risk from smoking

- 1. Ban altogether or strongly discourage.
- 2. Safer cigarette.

.

Sik

## Approaches to Safer Cigarettes

- 1. Maintain nicotine level but reduce tar.
- 2. Reduce the carcinogenicity of the tar.
- 3. Add safe flavours.

Shite 4

# ASSESSMENT OF RISK FACTORS FOR CANCER CONCLUSIONS FROM AHF CONFERENCE, 1979 BASED MAINLY ON USA & UK DATA

Major Factors

Risk Attributable

Nutrition

Up to 50%

**Smoking** 

25 to 35 % in males;

5 to 10% in females

Minor Factors

Alcohol

3 %

Occupation

 $6\,\%$  in males;  $2\,\%$  in females

Ionizing radiation

Less than 3%

Ultraviolet radiation

Less than 2 %

Minimal Factors

Food additives

Drugs

General air pollution

Water pollution

Immunological factors

Other Factors

Genetic factors

Viruses

ghos &

## LUNG CANCER MORTALITY BY ASBESTOS EXPOSURE AND CIGARETTE SMOKING

(Hammond and Selikoff, 1979)

Asbestos exposure	History of cigarette smoking	Death rate (per 100, 000p. a)	Mortality ratio
_	-	11.3	1.0
+		58.4	5.2
_	+	122.6	10.8
+	+	601.6	53.2

## PERCENT CHANGE IN LUNG CANCER DEATH RATES 1966-70 TO 1971-75

(England & Wales)

Age Group	Men	Women
35-39	- 22 %	- 16%
40-44	- 17%	<u>- 17 %</u>
45-49	- 4%	+ 16%
50-54	- 7%	+ 17%
55-59	- 6%	+ 24%
60-64	- 5%	+ 30 %
65-69	- 2%	+ 23 %
70-74	+ 9%	+ 23 %
75-79	+ 21 %	+ 24 %
80-84	+ 26%	+ 31 %
85 +	+ 26%	+ 26%
All ages	+ 7%	+ 27 %

Spric 20 form

## Role of genetic factors in lung cancer

- 1. Environmental factors, including smoking, are more important than genetic ones.
- Studies on smoking-discordant identical twins too few data at present.
- 3. Possible mechanisms
  - (i) Genetically-determined variation in Aryl Hydrocarbon Hydroxylase (AHH).
  - (ii) Genetically-determined variation in susceptibility to DNA damage by chemicals present in smoke.

 $\circ$ 

## Approaches to reducing cancer risk from smoking

- 1. Ban altogether or strongly discourage.
- 2. Safer cigarette.

## Approaches to Safer Cigarettes

- 1. Maintain nicotine level but reduce tar.
- 2. Reduce the carcinogenicity of the tar.
- 3. Add safe flavours.

Dr. Francis J. C. Roe D.M.(Oxon.), D.Sc.(Lond.), F.R.C.Path Consultant in Toxicology and Adviser in Experimental Pathology and Cancer Research

VAT Reg. No. 216 7350 73

Office and Home:

19 Marryat Road Wimbledon Common London, SW19 5BB

Telephone:

Office (01) 947 9171 Home (01) 946 4518

FJCR/SR

1st December, 1980

Dr. John Papadimitriou,
Hellenic Scientific Society of Experimental
 Medicine,
2 Pavine Street,
Athens T.T.140,
GREECE.

Dear Dr. Papadimitriou,

Because of continuing domestic problems with my son, I most regretably feel that I cannot come to Athens to attend your annual meeting. I feel very guilty about letting you down at the last minute. However, I have prepared a talk and slides and Professor Harold Ellis has very kindly agreed to speak on my behalf. I hope very much that this will not disrupt the programme too much.

I am returning the Air Tickets which were sent to me by Forum and will send you a copy of the text of my talk in 2 days time. Also Professor Ellis will bring a copy with him of course.

I hope there will be a future occasion on which I can visit you. My son will certainly be alright eventually but he needs a lot of support just now as he struggles to regain his self-confidence.

With deep apologies,

Yours sincerely,

Francis J.C. Roe

Emi Non



FORUM 41-43, Michalacopoulou st. Athens 612, Greece Tel. 736 997 Telex: (21) 4456

November 20, 1980

Dr. Fr. Roe D.M. 19, Marryat Rd. Wimbledon Common London S.W. 19 England

Dear Dr. Roe

At the request of Dr. John Papademetriou enclosed you will find ticket for your forthcoming trip to Greece.

Please note that reservations for your return have been made per your request and ticket will be validated accordingly after your arrival here.

Looking forward in seeing you in our country.

Yours very truly

FORUM

Travel Towrism Conventions

### HELLENIC SCIENTIFIC SOCIETY OF EXPERIMENTAL MEDICINE

2,Pavine st. Athens T.T.140 Greece Tel.719214

Dr. Francis J.C. Roe
D.M., D.Cs., R.R.C. Path,
Consultant in Toxicology and Adviser in
Experimental Pathology and Cancer Research
19, Marryat Road
Wimbeldon Common
London SW 19 5 BB

Dear Dr. Roe,

The time for our scientific meeting is approaching. May I ask you to post me by the end of this month your manuscript, so that to be published in time.

In addition if we could know how many days you plan to stay in Athens, we'll be able to arrange your program in details.

Thanking you very much for your co-operation,

I remain very sincerely

yours

John Papadimitriou M.D., F.A.C.S