

Appendix Table L1 -

IESLC - Meta-analysis of Cigarette Smoking, only Filter vs only Plain (or nearest available)
Adenocarcinoma

This analysis is restricted to results for:

- 1) Results not by amount smoked
- 2) Results complete enough for use in metaanalysis

Within each study, results are then selected (in the following order of preference, within each sex) for:

- 3) CIGTYP: filter only/NOS, always, mainly, both, equally, ever
 - 4) DENOM: plain only/NOS, always, mainly, ever
 - 5) PRODUCT: cigarettes regardless of other products, cigarettes only (Note no study has both product definitions available)
 - 6) SMKSTA: ever, current. (Note no study has both ever and current available)
 - 7) LCtype: adeno or nearest available, but not squamous. (q = squamous, s = small, a = adeno, l = large, KII = Kreyberg II, al = alveolar, br = bronchiolar, u = undifferentiated)
 - 8) Race: all or nearest available, otherwise by race (wh or w = white, bl or b = black, hi = hispanic ch = chinese, jap = japanese, haw = hawaiian, w+o = white + oriental, sca = scandinavian, as = asian)
 - 9) Followup period (prospective studies): whole study (coded as 0) or longest available
 - 10) For overlapping studies: principal rather than subsidiary studies
- Finally by Age: whole study (coded as 0) if available, otherwise by widest available age group and then for single sex results (m, f) in preference to combined sex results (c).

Results adjusted for the most potential confounders are then chosen in Sections -1 to -3 and result adjusted for the least confounders in Sections -4 to -6. (Results adjusted for an unknown number of confounder(s) are coded as 20.)

Section -7 shows excluded studies, together with the stage (as above) at which no qualifying results were found.

Section -8 lists the potentially overlapping studies which have been included (1=principal, 2=subsidiary), and any results which would have been included in preference except that they had incomplete data (i.e. were deselected at stage 2). It also lists their significance (yes/no), if known.

Appendix Table L1 - 1

IESLC - Meta-analysis of Cigarette Smoking, only Filter vs only Plain (or nearest available)
Adenocarcinoma
Adjusted

REF	NRR	SEX	AGEL	AGEH	RACE	FOL	ADENO	LOC	START	STTYP	ADJ	SMKSTA	PRODUCT	CIGTYP	DENOM
LUBIN2	204	m	0	0	all	-	a	Eu:mul	1976	CC	3	ever	cig+/-ot	only f always p	
LUBIN2	236	f	0	0	all	-	a	Eu:mul	1976	CC	3	ever	cig+/-ot	only f always p	
MATOS	65	m	0	0	all	-	a	SCAmer	1994	CC	3	ever	cig+/-ot	mainly f mainly p	
PEZZOT	16	m	0	0	all	-	a	SCAmer	1987	CC	4	ever	cig only	only f ever p	
SOBUE	86	m	0	0	all	-	a	As:Jap	1986	CC	5	current	cig+/-ot	only f p NOS	
WAKAI	71	m	0	0	all	-	a	As:Jap	1988	CC	0	current	cig+/-ot	only f p NOS	
WYNDE5	2	m	0	0	all	-	KII	NAmer	1969	CC	0	current	cig+/-ot	ever f always p	
WYNDE5	5	f	0	0	all	-	KII	NAmer	1969	CC	0	current	cig+/-ot	ever f always p	
WYNDE6	313	m	0	0	all	-	a	NAmer	1969	CC	3	current	cig+/-ot	only f always p	
WYNDE6	319	f	0	0	all	-	a	NAmer	1969	CC	3	current	cig+/-ot	only f always p	

Appendix Table L1 - 2

IESLC - Meta-analysis of Cigarette Smoking, only Filter vs only Plain (or nearest available)
Adenocarcinoma
Adjusted

REF	NRR	SEX	ADJ	Numbers Exposed		Non-exposed		RR	95.00%CI
				Case	Cont	Case	Cont		
LUBIN2	204	m	3	-	-	-	-	0.71	(0.52- 0.99)
LUBIN2	236	f	3	-	-	-	-	0.45	(0.20- 1.06)
Subtotal LUBIN2								0.67	(0.50- 0.90)
MATOS	65	m	3	-	-	-	-	1.43	(0.63- 3.33)
PEZZOT	16	m	4	-	-	-	-	0.38	(0.19- 0.76)
SOBUE	86	m	5	-	-	-	-	0.83	(0.40- 1.67)
WAKAI	71	m	0	73	271	0	9	5.14~	(0.30- 89.41)
WYNDE5	2	m	0	139	629	73	398	1.20	(0.88- 1.64)
WYNDE5	5	f	0	68	200	13	30	0.78	(0.39- 1.59)
Subtotal WYNDE5								1.12	(0.85- 1.49)
WYNDE6	313	m	3	-	-	-	-	1.00	(0.70- 1.50)
WYNDE6	319	f	3	-	-	-	-	0.90	(0.50- 1.70)
Subtotal WYNDE6								0.97	(0.70- 1.34)
Partial Totals				280	1100	86	437		
*prospective study									~ With 0.5 adjustment for zero

REF	NRR	SEX	ADJ	Ys	Ws	Qs	Ps
LUBIN2	204	m	3	-0.34	37.06	1.71	0.0371
LUBIN2	236	f	3	-0.80	5.52	2.49	0.0605
Subtotal LUBIN2				-0.89	42.59	4.19	
MATOS	65	m	3	0.36	5.54	1.31	0.3997
PEZZOT	16	m	4	-0.97	8.00	5.64	0.0062
SOBUE	86	m	5	-0.19	7.52	0.03	0.6093
WAKAI	71	m	0	1.64	0.47	1.47	0.2610
WYNDE5	2	m	0	0.19	40.01	3.95	0.2386
WYNDE5	5	f	0	-0.24	7.69	0.10	0.5010
Subtotal WYNDE5				0.20	47.70	4.05	
WYNDE6	313	m	3	0.00	26.45	0.43	1.0000
WYNDE6	319	f	3	-0.11	10.26	0.01	0.7358
Subtotal WYNDE6				0.15	36.71	0.44	

RR data

N	10
NS	7

Wt	148.54
Het Chi	17.12
Het df	9
Het P	*
Fixed RR	0.88
RR1	0.75
RRu	1.03
P	N.S.
Random RR	0.84
RR1	0.66
RRu	1.08
P	N.S.

Appendix Table L1 - 3

IESLC - Meta-analysis of Cigarette Smoking, only Filter vs only Plain (or nearest available)
Adenocarcinoma
Adjusted

RR data

N	10
NS	7

Wt	148.54
Het Chi	17.12
Het df	9
Het P	*
Fixed RR	0.88
RRl	0.75
RRu	1.03
P	N.S.
Random RR	0.84
RRl	0.66
RRu	1.08
P	N.S.

RR Description:Sex(RR)			
combined	male	female	Total

N	7	3	10
NS	7	3	10

Wt	125.06	23.48	148.54
Het Chi	14.38	1.78	17.12
Het df	6	2	9
Het P	*	N.S.	*
Fixed RR	0.91	0.73	0.88
RRl	0.76	0.49	0.75
RRu	1.09	1.10	1.03
P	N.S.	N.S.	N.S.
Random RR	0.89	0.73	0.84
RRl	0.65	0.49	0.66
RRu	1.22	1.10	1.08
P	N.S.	N.S.	N.S.
Between Chi		0.96	
Between df		1	
Between P		N.S.	

Appendix Table L1 - 4

IESLC - Meta-analysis of Cigarette Smoking, only Filter vs only Plain (or nearest available)
Adenocarcinoma
Unadjusted

REF	NRR	SEX	AGEL	AGEH	RACE	FOL	ADENO	LOC	START	STTYP	ADJ	SMKSTA	PRODUCT	CIGTYP	DENOM
LUBIN2	188	m	0	0	all	-	a Eu:mul	1976	CC	0	ever cig+/-ot	only f	always p		
LUBIN2	220	f	0	0	all	-	a Eu:mul	1976	CC	0	ever cig+/-ot	only f	always p		
MATOS	74	m	0	0	all	-	a SC Amer	1994	CC	0	ever cig+/-ot	mainly f	mainly p		
PEZZOT	15	m	0	0	all	-	a SC Amer	1987	CC	2	ever cig only	only f	ever p		
SOBUE	74	m	0	0	all	-	a As:Jap	1986	CC	0	current cig+/-ot	only f	p NOS		
WAKAI	71	m	0	0	all	-	a As:Jap	1988	CC	0	current cig+/-ot	only f	p NOS		
WYNDE5	2	m	0	0	all	-	KII NAmer	1969	CC	0	current cig+/-ot	ever f	always p		
WYNDE5	5	f	0	0	all	-	KII NAmer	1969	CC	0	current cig+/-ot	ever f	always p		
WYNDE6	301	m	0	0	all	-	a NAmer	1969	CC	0	current cig+/-ot	only f	always p		
WYNDE6	307	f	0	0	all	-	a NAmer	1969	CC	0	current cig+/-ot	only f	always p		

Appendix Table L1 - 5

IESLC - Meta-analysis of Cigarette Smoking, only Filter vs only Plain (or nearest available)
Adenocarcinoma
Unadjusted

REF	NRR	SEX	ADJ	Numbers Exposed		Non-exposed		RR	95.00%CI
				Case	Cont	Case	Cont		
LUBIN2	188	m	0	47	1018	197	3810	0.89	(0.64- 1.24)
LUBIN2	220	f	0	19	213	9	62	0.61	(0.26- 1.43)
Subtotal LUBIN2								0.85	(0.63- 1.15)
MATOS	74	m	0	70	229	8	46	1.76	(0.79- 3.90)
PEZZOT	15	m	2	-	-	-	-	0.28	(0.14- 0.55)
SOBUE	74	m	0	218	540	16	26	0.66	(0.35- 1.25)
WAKAI	71	m	0	73	271	0	9	5.14~	(0.30- 89.41)
WYNDE5	2	m	0	139	629	73	398	1.20	(0.88- 1.64)
WYNDE5	5	f	0	68	200	13	30	0.78	(0.39- 1.59)
Subtotal WYNDE5								1.12	(0.85- 1.49)
WYNDE6	301	m	0	88	122	135	165	0.88	(0.62- 1.26)
WYNDE6	307	f	0	158	158	32	30	0.94	(0.54- 1.62)
Subtotal WYNDE6								0.90	(0.67- 1.21)
Partial Totals				880	3380	483	4576		
*prospective study									~ With 0.5 adjustment for zero

REF	NRR	SEX	ADJ	Ys	Ws	Qs	Ps
LUBIN2	188	m	0	-0.11	36.24	0.00	0.4954
LUBIN2	220	f	0	-0.49	5.42	0.80	0.2570
Subtotal LUBIN2				-0.40	41.65	0.81	
MATOS	74	m	0	0.56	6.05	2.68	0.1655
PEZZOT	15	m	2	-1.27	8.21	11.25	0.0003
SOBUE	74	m	0	-0.42	9.31	0.95	0.1983
WAKAI	71	m	0	1.64	0.47	1.43	0.2610
WYNDE5	2	m	0	0.19	40.01	3.33	0.2386
WYNDE5	5	f	0	-0.24	7.69	0.15	0.5010
Subtotal WYNDE5				0.15	47.70	3.48	
WYNDE6	301	m	0	-0.13	30.28	0.02	0.4881
WYNDE6	307	f	0	-0.06	12.95	0.02	0.8164
Subtotal WYNDE6				0.01	43.22	0.04	

RR data

N	10
NS	7

Wt	156.61
Het Chi	20.63
Het df	9
Het P	*
Fixed RR	0.90
RR1	0.77
RRu	1.06
P	N.S.
Random RR	0.85
RR1	0.65
RRu	1.11
P	N.S.

Appendix Table L1 - 6

IESLC - Meta-analysis of Cigarette Smoking, only Filter vs only Plain (or nearest available)
Adenocarcinoma
Unadjusted

RR data

N	10
NS	7

Wt	156.61
Het Chi	20.63
Het df	9
Het P	*
Fixed RR	0.90
RRl	0.77
RRu	1.06
P	N.S.
Random RR	0.85
RRl	0.65
RRu	1.11
P	N.S.

RR Description:Sex(RR)			
combined	male	female	Total

N	7	3	10
NS	7	3	10

Wt	130.56	26.06	156.61
Het Chi	19.61	0.70	20.63
Het df	6	2	9
Het P	**	N.S.	*
Fixed RR	0.92	0.81	0.90
RRl	0.78	0.55	0.77
RRu	1.09	1.20	1.06
P	N.S.	N.S.	N.S.
Random RR	0.86	0.81	0.85
RRl	0.60	0.55	0.65
RRu	1.24	1.20	1.11
P	N.S.	N.S.	N.S.
Between Chi		0.33	
Between df		1	
Between P		N.S.	

Appendix Table L1 - 7

IESLC - Meta-analysis of Cigarette Smoking, only Filter vs only Plain (or nearest available)
Adenocarcinoma
Excluded studies (and stage at which they were excluded)

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	BLOT2	BOUCHA	BUELL	HIRAOK	LAURIL	MOLLO	MZILEN	VANDER								
2	BERRIN	CHEN	RESTRE	TAO	ULMER	WEIR										
3	ABELIN	ABRAHA	AKIBA	AMANDU	AMES	ANDERS	ARCHER	ARMSTR	AUSTIN	AUVINE	AXELSS	BAND	BARBON	BENSHL	BEST	
	BLOHMK	BLOT1	BLOT3	BLOT4	BOFFET	BOUCOT	BRESLO	BRETT	BROCKM	BROWN1	BROWN2	BROWN3	BYERS1	BYERS2	CARPEN	CASCO2
	CASCOR	CEDERL	CHAN	CHANG	CHATZI	CHEN2	CHEN3	CHIAZZ	CHOW	CHYOU	COMSTO	COOKSO	CPSI	DAMBER	DARBY	DAVEYS
	DEAN	DEKLER	DOCKER	DOLL2	DORANT	DORGAN	DORN	DOSEME	DROSTE	DU	DUNN	EBELIN	ENSTRO	ESAKI	FAN	GAO
	GAO2	GARCIA	GARDIN	GARSHI	GENG	GER	GILLIS	GODLEY	GOLLED	GOODMA	GRAHAM	GREGOR	GSELL	GURSEL	HAENSZ	HAMMO2
	HAMMON	HANSEN	HEGMAN	HEIN	HENNEK	HINDS	HIRAY2	HIRAYA	HITOSU	HOLE	HOROWI	HORWIT	HU	HU2	HUANG	HUMBLE
	ISHIMA	JAHN	JAIN	JARUP	JARVHO	JEDRYC	JIANG	JOLY	JONES	JUSSAW	KAISER	KANELL	KATSOU	KAUFMA	KELLER	KIHARA
	KINLEN	KJUUUS	KNEKT	KO	KOHLME	KOO	KOULUM	KREUZE	KREYBE	KUBIK	LAMTH	LAMWK	LAMWK2	LAUSSM	LEI	LEMARC
	LETOUR	LEVIN	LIAW	LICKIN	LIDDEL	LIU	LIU2	LIU3	LIU4	LIU5	LOMBA2	LOMBAR	LUBIN	LUO	MAGNUS	MARSH
	MARSH2	MARTIS	MASTRA	MATSUD	MCCONN	MCDUFF	MCLAUG	MILLER	MILLS	MRFIT	MURATA	NAM	NOTAN2	NOTANI	NOU	ODRISC
	ORMOS	OSANN	OSANN2	PARKIN	PASTOR	PAWLEG	PERNU	PERSH2	PERSHA	PETO	PEZZO2	PIKE	PISANI	POFFIJ	POLEDN	PRESCO
	QIAO	QIAO2	RACHTA	RADZIK	RANDIG	REN	RONCO	ROOTS	ROTHSC	SAARIK	SADOWS	SANKAR	SCHWA2	SCHWAR	SEGI	SEOW
	SHAW	SHIMIZ	SIEMIA	SIMARA	SITAS	SOBUE2	SPEIZE	SPITZ	STASZE	STAYNE	STOCKS	STOCKW	STUCKE	SUN	SUZUK2	SUZUKI
	SVENSS	TANG	TENKAN	TIZZAN	TOKARS	TOUSEY	TSUGAN	TULINI	TVERDA	VEIERO	VUTUC	WALD	WANG	WANG2	WANG3	WANG4
	WARSIN	WATSON	WICKLU	WIGLE	WILKIN	WU	WU2	WUNSCH	WUWILL	WYNDE2	WYNDE4	WYNDE7	WYNDE8	WYNDER	XIANGZ	XU
7	XU2	XU3	XU4	YAMAGU	YONG	YUAN	ZHANG	ZHENG	ZHOU							
	AGUDO	ALDERS	ARMADA	BECHER	BENHAM	BROSS	BUFFLE	CHOI	CORREA	CPSII	DEAN2	DEAN3	DESTE2	DESTEF	DOLL	ENGELA
	KAISE2	KHUDER	LANGE	MACLEN	MIGRAN	MRFITR	RIMING	SEGI2	TANG2	WYNDE3						

Appendix Table L1 - 8

IESLC - Meta-analysis of Cigarette Smoking, only Filter vs only Plain (or nearest available)
Adenocarcinoma
Potentially overlapping studies

REF	REFGP	PRINC2 .	OVERLAP/LINK
LUBIN2	LUBIN2	1	Lubin-combined
WYNDE5	WYNDE6	1	WYNDE5/6/7/8
WYNDE6	WYNDE6	1	WYNDE5/6/7/8

Appendix Table L2 -

IESLC - Meta-analysis of Cigarette Smoking, ever Filter vs only Plain (or nearest available)
Adenocarcinoma

This analysis is restricted to results for:

- 1) Results not by amount smoked
- 2) Results complete enough for use in metaanalysis

Within each study, results are then selected (in the following order of preference, within each sex) for:

- 3) CIGTYP: filter ever, equally, both, mainly, always, only/NOS
 - 4) DENOM: plain only/NOS, always, mainly, ever
 - 5) PRODUCT: cigarettes regardless of other products, cigarettes only (Note no study has both product definitions available)
 - 6) SMKSTA: ever, current. (Note no study has both ever and current available)
 - 7) LCtype: adeno or nearest available, but not squamous. (q = squamous, s = small,
a = adeno, l = large, KII = Kreyberg II, al = alveolar, br = bronchiolar, u = undifferentiated)
 - 8) Race: all or nearest available, otherwise by race (wh or w = white, bl or b = black, hi = hispanic
ch = chinese, jap = japanese, haw = hawaiian, w+o = white + oriental, sca = scandinavian, as = asian)
 - 9) Followup period (prospective studies): whole study (coded as 0) or longest available
 - 10) For overlapping studies: principal rather than subsidiary studies
- Finally by Age: whole study (coded as 0) if available, otherwise by widest available age group
and then for single sex results (m, f) in preference to combined sex results (c).

Results adjusted for the most potential confounders are then chosen in Sections -1 to -3
and result adjusted for the least confounders in Sections -4 to -6. (Results adjusted for an unknown number
of confounder(s) are coded as 20.)

Section -7 shows excluded studies, together with the stage (as above) at which no qualifying
results were found.

Section -8 lists the potentially overlapping studies which have been included (1=principal, 2=subsidiary),
and any results which would have been included in preference except that they had incomplete data
(i.e. were deselected at stage 2). It also lists their significance (yes/no), if known.

Appendix Table L2 - 1

IESLC - Meta-analysis of Cigarette Smoking, ever Filter vs only Plain (or nearest available)
Adenocarcinoma
Adjusted

REF	NRR	SEX	AGEL	AGEH	RACE	FOL	ADENO	LOC	START	STTYP	ADJ	SMKSTA	PRODUCT	CIGTYP	DENOM
LUBIN2	212	m	0	0	all	-	a Eu:mul	1976	CC	3	ever	cig+/-ot	ever f	always p	
LUBIN2	244	f	0	0	all	-	a Eu:mul	1976	CC	3	ever	cig+/-ot	ever f	always p	
MATOS	65	m	0	0	all	-	a SC Amer	1994	CC	3	ever	cig+/-ot	mainly f	mainly p	
PEZZOT	16	m	0	0	all	-	a SC Amer	1987	CC	4	ever	cig only	only f	ever p	
SOBUE	86	m	0	0	all	-	a As:Jap	1986	CC	5	current	cig+/-ot	only f	p NOS	
WAKAI	71	m	0	0	all	-	a As:Jap	1988	CC	0	current	cig+/-ot	only f	p NOS	
WYNDE5	2	m	0	0	all	-	KII NAmer	1969	CC	0	current	cig+/-ot	ever f	always p	
WYNDE5	5	f	0	0	all	-	KII NAmer	1969	CC	0	current	cig+/-ot	ever f	always p	
WYNDE6	315	m	0	0	all	-	a NAmer	1969	CC	3	current	cig+/-ot	ever f	always p	
WYNDE6	321	f	0	0	all	-	a NAmer	1969	CC	3	current	cig+/-ot	ever f	always p	

Appendix Table L2 - 2

IESLC - Meta-analysis of Cigarette Smoking, ever Filter vs only Plain (or nearest available)
Adenocarcinoma
Adjusted

REF	NRR	SEX	ADJ	Numbers Exposed		Non-exposed		RR	95.00%CI
				Case	Cont	Case	Cont		
LUBIN2	212	m	3	-	-	-	-	1.01	(0.85- 1.19)
LUBIN2	244	f	3	-	-	-	-	0.84	(0.46- 1.53)
Subtotal LUBIN2								1.00	(0.85- 1.17)
MATOS	65	m	3	-	-	-	-	1.43	(0.63- 3.33)
PEZZOT	16	m	4	-	-	-	-	0.38	(0.19- 0.76)
SOBUE	86	m	5	-	-	-	-	0.83	(0.40- 1.67)
WAKAI	71	m	0	73	271	0	9	5.14~	(0.30- 89.41)
WYNDE5	2	m	0	139	629	73	398	1.20	(0.88- 1.64)
WYNDE5	5	f	0	68	200	13	30	0.78	(0.39- 1.59)
Subtotal WYNDE5								1.12	(0.85- 1.49)
WYNDE6	315	m	3	-	-	-	-	1.00	(0.79- 1.27)
WYNDE6	321	f	3	-	-	-	-	1.15	(0.68- 1.94)
Subtotal WYNDE6								1.02	(0.82- 1.27)
Partial Totals				280	1100	86	437		
*prospective study								~ With 0.5 adjustment for zero	

REF	NRR	SEX	ADJ	Ys	Ws	Qs	Ps
LUBIN2	212	m	3	0.01	135.72	0.01	0.9077
LUBIN2	244	f	3	-0.17	10.64	0.33	0.5696
Subtotal LUBIN2				-0.17	146.36	0.34	
MATOS	65	m	3	0.36	5.54	0.70	0.3997
PEZZOT	16	m	4	-0.97	8.00	7.52	0.0062
SOBUE	86	m	5	-0.19	7.52	0.27	0.6093
WAKAI	71	m	0	1.64	0.47	1.26	0.2610
WYNDE5	2	m	0	0.19	40.01	1.36	0.2386
WYNDE5	5	f	0	-0.24	7.69	0.46	0.5010
Subtotal WYNDE5				-0.06	47.70	1.82	
WYNDE6	315	m	3	0.00	68.18	0.00	1.0000
WYNDE6	321	f	3	0.14	13.98	0.26	0.6013
Subtotal WYNDE6				0.14	82.16	0.26	

RR data

N	10
NS	7

Wt	297.76
Het Chi	12.17
Het df	9
Het P	N.S.
Fixed RR	1.00
RR1	0.89
RRu	1.12
P	N.S.
Random RR	0.99
RR1	0.84
RRu	1.16
P	N.S.

Appendix Table L2 - 3

IESLC - Meta-analysis of Cigarette Smoking, ever Filter vs only Plain (or nearest available)
Adenocarcinoma
Adjusted

RR data

N	10
NS	7

Wt	297.76
Het Chi	12.17
Het df	9
Het P	N.S.
Fixed RR	1.00
RRL	0.89
RRu	1.12
P	N.S.
Random RR	0.99
RRL	0.84
RRu	1.16
P	N.S.

RR Description:Sex(RR)			
combined	male	female	Total

N	7	3	10
NS	7	3	10

Wt	265.44	32.31	297.76
Het Chi	11.10	0.95	12.17
Het df	6	2	9
Het P	(*)	N.S.	N.S.
Fixed RR	1.01	0.95	1.00
RRL	0.89	0.67	0.89
RRu	1.14	1.34	1.12
P	N.S.	N.S.	N.S.
Random RR	0.99	0.95	0.99
RRL	0.80	0.67	0.84
RRu	1.22	1.34	1.16
P	N.S.	N.S.	N.S.
Between Chi		0.12	
Between df		1	
Between P		N.S.	

Appendix Table L2 - 4

IESLC - Meta-analysis of Cigarette Smoking, ever Filter vs only Plain (or nearest available)
Adenocarcinoma
Unadjusted

REF	NRR	SEX	AGEL	AGEH	RACE	FOL	ADENO	LOC	START	STTYP	ADJ	SMKSTA	PRODUCT	CIGTYP	DENOM
LUBIN2	196	m	0	0	all	-	a Eu:mul	1976	CC	0	ever cig+/-ot	ever f	always p		
LUBIN2	228	f	0	0	all	-	a Eu:mul	1976	CC	0	ever cig+/-ot	ever f	always p		
MATOS	74	m	0	0	all	-	a SC Amer	1994	CC	0	ever cig+/-ot	mainly f	mainly p		
PEZZOT	15	m	0	0	all	-	a SC Amer	1987	CC	2	ever cig only	only f	ever p		
SOBUE	74	m	0	0	all	-	a As:Jap	1986	CC	0	current cig+/-ot	only f	p NOS		
WAKAI	71	m	0	0	all	-	a As:Jap	1988	CC	0	current cig+/-ot	only f	p NOS		
WYNDE5	2	m	0	0	all	-	KII NAmer	1969	CC	0	current cig+/-ot	ever f	always p		
WYNDE5	5	f	0	0	all	-	KII NAmer	1969	CC	0	current cig+/-ot	ever f	always p		
WYNDE6	303	m	0	0	all	-	a NAmer	1969	CC	0	current cig+/-ot	ever f	always p		
WYNDE6	309	f	0	0	all	-	a NAmer	1969	CC	0	current cig+/-ot	ever f	always p		

Appendix Table L2 - 5

IESLC - Meta-analysis of Cigarette Smoking, ever Filter vs only Plain (or nearest available)
Adenocarcinoma
Unadjusted

REF	NRR	SEX	ADJ	Numbers Exposed		Non-exposed		RR	95.00%CI
				Case	Cont	Case	Cont		
LUBIN2	196	m	0	475	6627	197	3810	1.39	(1.17- 1.64)
LUBIN2	228	f	0	75	505	9	62	1.02	(0.49- 2.14)
Subtotal	LUBIN2							1.37	(1.16- 1.61)
MATOS	74	m	0	70	229	8	46	1.76	(0.79- 3.90)
PEZZOT	15	m	2	-	-	-	-	0.28	(0.14- 0.55)
SOBUE	74	m	0	218	540	16	26	0.66	(0.35- 1.25)
WAKAI	71	m	0	73	271	0	9	5.14~	(0.30- 89.41)
WYNDE5	2	m	0	139	629	73	398	1.20	(0.88- 1.64)
WYNDE5	5	f	0	68	200	13	30	0.78	(0.39- 1.59)
Subtotal	WYNDE5							1.12	(0.85- 1.49)
WYNDE6	303	m	0	577	711	135	165	0.99	(0.77- 1.28)
WYNDE6	309	f	0	537	437	32	30	1.15	(0.69- 1.93)
Subtotal	WYNDE6							1.02	(0.81- 1.28)
Partial Totals				2232	10149	483	4576		
*prospective study									~ With 0.5 adjustment for zero

REF	NRR	SEX	ADJ	Ys	Ws	Qs	Ps
LUBIN2	196	m	0	0.33	131.67	4.55	0.0002
LUBIN2	228	f	0	0.02	7.01	0.10	0.9518
Subtotal	LUBIN2			0.07	138.68	4.65	
MATOS	74	m	0	0.56	6.05	1.08	0.1655
PEZZOT	15	m	2	-1.27	8.21	16.40	0.0003
SOBUE	74	m	0	-0.42	9.31	2.94	0.1983
WAKAI	71	m	0	1.64	0.47	1.06	0.2610
WYNDE5	2	m	0	0.19	40.01	0.08	0.2386
WYNDE5	5	f	0	-0.24	7.69	1.13	0.5010
Subtotal	WYNDE5			-0.34	47.70	1.21	
WYNDE6	303	m	0	-0.01	60.21	1.33	0.9495
WYNDE6	309	f	0	0.14	14.55	0.00	0.5893
Subtotal	WYNDE6			-0.15	74.76	1.33	

RR data

N	10
NS	7

Wt	285.18
Het Chi	28.68
Het df	9
Het P	***
Fixed RR	1.15
RR1	1.02
RRu	1.29
P	+
Random RR	0.99
RR1	0.76
RRu	1.29
P	N.S.

Appendix Table L2 - 6

IESLC - Meta-analysis of Cigarette Smoking, ever Filter vs only Plain (or nearest available)
Adenocarcinoma
Unadjusted

RR data

N	10
NS	7

Wt	285.18
Het Chi	28.68
Het df	9
Het P	***
Fixed RR	1.15
RRl	1.02
RRu	1.29
P	+
Random RR	0.99
RRl	0.76
RRu	1.29
P	N.S.

RR Description:Sex(RR)			
	combined	male	female
			Total
N	7	3	10
NS	7	3	10
Wt	255.93	29.26	285.18
Het Chi	27.40	0.74	28.68
Het df	6	2	9
Het P	***	N.S.	***
Fixed RR	1.17	1.01	1.15
RRl	1.03	0.70	1.02
RRu	1.32	1.45	1.29
P	+	N.S.	+
Random RR	0.98	1.01	0.99
RRl	0.70	0.70	0.76
RRu	1.38	1.45	1.29
P	N.S.	N.S.	N.S.
Between Chi			0.54
Between df			1
Between P			N.S.

Appendix Table L2 - 7

IESLC - Meta-analysis of Cigarette Smoking, ever Filter vs only Plain (or nearest available)
Adenocarcinoma
Excluded studies (and stage at which they were excluded)

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	BLOT2	BOUCHA	BUELL	HIRAO	Lauril	MOLLO	MZILEN	VANDER								
2	BERRIN	CHEN	RESTRE	TAO	ULMER	WEIR										
3	ABELIN	ABRAHA	AKIBA	AMANDU	AMES	ANDERS	ARCHER	ARMSTR	AUSTIN	AUVINE	AXELSS	BAND	BARBON	BENSHL	BEST	
	BLOHMK	BLOT1	BLOT3	BLOT4	BOFFET	BOUCOT	BRESLO	BRETT	BROCKM	BROWN1	BROWN2	BROWN3	BYERS1	BYERS2	CARPEN	CASCO2
	CASCOR	CEDERL	CHAN	CHANG	CHATZI	CHEN2	CHEN3	CHIAZZ	CHOW	CHYOU	COMSTO	COOKSO	CPSI	DAMBER	DARBY	DAVEYS
	DEAN	DEKLER	DOCKER	DOLL2	DORANT	DORGAN	DORN	DOSEME	DROSTE	DU	DUNN	EBELIN	ENSTRO	ESAKI	FAN	GAO
	GAO2	GARCIA	GARDIN	GARSHI	GENG	GER	GILLIS	GODLEY	GOLLED	GOODMA	GRAHAM	GREGOR	GSELL	GURSEL	HAENSZ	HAMMO2
	HAMMON	HANSEN	HEGMAN	HEIN	HENNEK	HINDS	HIRAY2	HIRAYA	HITOSU	HOLE	HOROWI	HORWIT	HU	HU2	HUANG	HUMBLE
	ISHIMA	JAHN	JAIN	JARUP	JARVHO	JEDRYC	JIANG	JOLY	JONES	JUSSAW	KAISER	KANELL	KATSOU	KAUFMA	KELLER	KIHARA
	KINLEN	KJUUUS	KNEKT	KO	KOHLME	KOO	KOULUM	KREUZE	KREYBE	KUBIK	LAMTH	LAMWK	LAMWK2	LAUSSM	LEI	LEMARC
	LETOUR	LEVIN	LIAW	LICKIN	LIDDEL	LIU	LIU2	LIU3	LIU4	LIU5	LOMBA2	LOMBAR	LUBIN	LUO	MAGNUS	MARSH
	MARSH2	MARTIS	MASTRA	MATSUD	MCCONN	MCDUFF	MCLAUG	MILLER	MILLS	MRFIT	MURATA	NAM	NOTAN2	NOTANI	NOU	ODRISC
	ORMOS	OSANN	OSANN2	PARKIN	PASTOR	PAWLEG	PERNU	PERSH2	PERSHA	PETO	PEZZO2	PIKE	PISANI	POFFIJ	POLEDN	PRESCO
	QIAO	QIAO2	RACHTA	RADZIK	RANDIG	REN	RONCO	ROOTS	ROTHSC	SAARIK	SADOWS	SANKAR	SCHWA2	SCHWAR	SEGI	SEOW
	SHAW	SHIMIZ	SIEMIA	SIMARA	SITAS	SOBUE2	SPEIZE	SPITZ	STASZE	STAYNE	STOCKS	STOCKW	STUCKE	SUN	SUZUK2	SUZUKI
	SVENSS	TANG	TENKAN	TIZZAN	TOKARS	TOUSEY	TSUGAN	TULINI	TVERDA	VEIERO	VUTUC	WALD	WANG	WANG2	WANG3	WANG4
	WARSIN	WATSON	WICKLU	WIGLE	WILKIN	WU	WU2	WUNSCH	WUWILL	WYNDE2	WYNDE4	WYNDE7	WYNDE8	WYNDER	XIANGZ	XU
7	XU2	XU3	XU4	YAMAGU	YONG	YUAN	ZHANG	ZHENG	ZHOU							
	AGUDO	ALDERS	ARMADA	BECHER	BENHAM	BROSS	BUFFLE	CHOI	CORREA	CPSII	DEAN2	DEAN3	DESTE2	DESTEF	DOLL	ENGELA
	KAISE2	KHUDER	LANGE	MACLEN	MIGRAN	MRFITR	RIMING	SEGI2	TANG2	WYNDE3						

Appendix Table L2 - 8

IESLC - Meta-analysis of Cigarette Smoking, ever Filter vs only Plain (or nearest available)
Adenocarcinoma
Potentially overlapping studies

REF	REFGP	PRINC2 .	OVERLAP/LINK
LUBIN2	LUBIN2	1	Lubin-combined
WYNDE5	WYNDE6	1	WYNDE5/6/7/8
WYNDE6	WYNDE6	1	WYNDE5/6/7/8

Appendix Table L3 -

IESLC - Meta-analysis of Cigarette Smoking, only Filter vs ever Plain (or nearest available)
Adenocarcinoma

This analysis is restricted to results for:

- 1) Results not by amount smoked
- 2) Results complete enough for use in metaanalysis

Within each study, results are then selected (in the following order of preference, within each sex) for:

- 3) CIGTYP: filter only/NOS, always, mainly, both, equally, ever
 - 4) DENOM: plain ever, mainly, always, only/NOS
 - 5) PRODUCT: cigarettes regardless of other products, cigarettes only (Note no study has both product definitions available)
 - 6) SMKSTA: ever, current (Note no study has both ever and current available)
 - 7) LCtype: adeno or nearest available, but not squamous. (q = squamous, s = small,
 a = adeno, l = large, KII = Kreyberg II, al = alveolar, br = bronchiolar, u = undifferentiated)
 - 8) Race: all or nearest available, otherwise by race (wh or w = white, bl or b = black, hi = hispanic
 ch = chinese, jap = japanese, haw = hawaiian, w+o = white + oriental, sca = scandinavian, as = asian)
 - 9) Followup period (prospective studies): whole study (coded as 0) or longest available
 - 10) For overlapping studies: principal rather than subsidiary studies
- Finally by Age: whole study (coded as 0) if available, otherwise by widest available age group
 and then for single sex results (m, f) in preference to combined sex results (c).

Results adjusted for the most potential confounders are then chosen in Sections -1 to -3
 and result adjusted for the least confounders in Sections -4 to -6. (Results adjusted for an unknown number
 of confounder(s) are coded as 20.)

Section -7 shows excluded studies, together with the stage (as above) at which no qualifying
 results were found.

Section -8 lists the potentially overlapping studies which have been included (1=principal, 2=subsidiary),
 and any results which would have been included in preference except that they had incomplete data
 (i.e. were deselected at stage 2). It also lists their significance (yes/no), if known.

Appendix Table L3 - 1

IESLC - Meta-analysis of Cigarette Smoking, only Filter vs ever Plain (or nearest available)
Adenocarcinoma
Adjusted

REF	NRR	SEX	AGEL	AGEH	RACE	FOL	ADENO	LOC	START	STTYP	ADJ	SMKSTA	PRODUCT	CIGTYP	DENOM
LUBIN2	216	m	0	0	all	-	a	Eu:mul	1976	CC	3	ever	cig+/-ot	only f	ever p
LUBIN2	248	f	0	0	all	-	a	Eu:mul	1976	CC	3	ever	cig+/-ot	only f	ever p
MATOS	65	m	0	0	all	-	a	SCAmer	1994	CC	3	ever	cig+/-ot	mainly f	mainly p
PEZZOT	16	m	0	0	all	-	a	SCAmer	1987	CC	4	ever	cig only	only f	ever p
SOBUE	86	m	0	0	all	-	a	As:Jap	1986	CC	5	current	cig+/-ot	only f	p NOS
WAKAI	71	m	0	0	all	-	a	As:Jap	1988	CC	0	current	cig+/-ot	only f	p NOS
WYNDE5	2	m	0	0	all	-	KII	NAmer	1969	CC	0	current	cig+/-ot	ever f	always p
WYNDE5	5	f	0	0	all	-	KII	NAmer	1969	CC	0	current	cig+/-ot	ever f	always p
WYNDE6	314	m	0	0	all	-	a	NAmer	1969	CC	3	current	cig+/-ot	only f	ever p
WYNDE6	320	f	0	0	all	-	a	NAmer	1969	CC	3	current	cig+/-ot	only f	ever p

Appendix Table L3 - 2

IESLC - Meta-analysis of Cigarette Smoking, only Filter vs ever Plain (or nearest available)
Adenocarcinoma
Adjusted

REF	NRR	SEX	ADJ	Numbers Exposed		Non-exposed		RR	95.00%CI
				Case	Cont	Case	Cont		
LUBIN2	216	m	3	-	-	-	-	1.14	(0.97- 1.35)
LUBIN2	248	f	3	-	-	-	-	1.56	(0.74- 3.27)
Subtotal LUBIN2								1.16	(0.98- 1.36)
MATOS	65	m	3	-	-	-	-	1.43	(0.63- 3.33)
PEZZOT	16	m	4	-	-	-	-	0.38	(0.19- 0.76)
SOBUE	86	m	5	-	-	-	-	0.83	(0.40- 1.67)
WAKAI	71	m	0	73	271	0	9	5.14~	(0.30- 89.41)
WYNDE5	2	m	0	139	629	73	398	1.20	(0.88- 1.64)
WYNDE5	5	f	0	68	200	13	30	0.78	(0.39- 1.59)
Subtotal WYNDE5								1.12	(0.85- 1.49)
WYNDE6	314	m	3	-	-	-	-	1.00	(0.72- 1.39)
WYNDE6	320	f	3	-	-	-	-	0.76	(0.53- 1.10)
Subtotal WYNDE6								0.88	(0.69- 1.13)
Partial Totals				280	1100	86	437		
*prospective study								~ With 0.5 adjustment for zero	

REF	NRR	SEX	ADJ	Ys	Ws	Qs	Ps
LUBIN2	216	m	3	0.13	140.62	1.03	0.1202
LUBIN2	248	f	3	0.44	6.96	1.11	0.2407
Subtotal LUBIN2				0.48	147.58	2.14	
MATOS	65	m	3	0.36	5.54	0.54	0.3997
PEZZOT	16	m	4	-0.97	8.00	8.21	0.0062
SOBUE	86	m	5	-0.19	7.52	0.40	0.6093
WAKAI	71	m	0	1.64	0.47	1.19	0.2610
WYNDE5	2	m	0	0.19	40.01	0.79	0.2386
WYNDE5	5	f	0	-0.24	7.69	0.64	0.5010
Subtotal WYNDE5				-0.15	47.70	1.43	
WYNDE6	314	m	3	0.00	35.51	0.07	1.0000
WYNDE6	320	f	3	-0.27	28.82	2.95	0.1407
Subtotal WYNDE6				-0.37	64.33	3.03	

RR data

N	10
NS	7

Wt	281.14
Het Chi	16.94
Het df	9
Het P	*
Fixed RR	1.05
RR1	0.93
RRu	1.18
P	N.S.
Random RR	0.98
RR1	0.80
RRu	1.21
P	N.S.

Appendix Table L3 - 3

IESLC - Meta-analysis of Cigarette Smoking, only Filter vs ever Plain (or nearest available)
Adenocarcinoma
Adjusted

RR data

N	10
NS	7

Wt	281.14
Het Chi	16.94
Het df	9
Het P	*
Fixed RR	1.05
RRl	0.93
RRu	1.18
P	N.S.
Random RR	0.98
RRl	0.80
RRu	1.21
P	N.S.

RR Description:Sex(RR)			
	combined	male	female
			Total
N	7	3	10
NS	7	3	10
Wt	237.67	43.47	281.14
Het Chi	11.92	2.97	16.94
Het df	6	2	9
Het P	(*)	N.S.	*
Fixed RR	1.09	0.86	1.05
RRl	0.96	0.64	0.93
RRu	1.23	1.15	1.18
P	N.S.	N.S.	N.S.
Random RR	1.01	0.90	0.98
RRl	0.80	0.60	0.80
RRu	1.29	1.35	1.21
P	N.S.	N.S.	N.S.
Between Chi		2.04	
Between df		1	
Between P		N.S.	

Appendix Table L3 - 4

IESLC - Meta-analysis of Cigarette Smoking, only Filter vs ever Plain (or nearest available)
Adenocarcinoma
Unadjusted

REF	NRR	SEX	AGEL	AGEH	RACE	FOL	ADENO	LOC	START	STTYP	ADJ	SMKSTA	PRODUCT	CIGTYP	DENOM
LUBIN2	200	m	0	0	all	-	a	Eu:mul	1976	CC	0	ever	cig+/-ot	only f	ever p
LUBIN2	232	f	0	0	all	-	a	Eu:mul	1976	CC	0	ever	cig+/-ot	only f	ever p
MATOS	74	m	0	0	all	-	a	SCAmer	1994	CC	0	ever	cig+/-ot	mainly f	mainly p
PEZZOT	15	m	0	0	all	-	a	SCAmer	1987	CC	2	ever	cig only	only f	ever p
SOBUE	74	m	0	0	all	-	a	As:Jap	1986	CC	0	current	cig+/-ot	only f	p NOS
WAKAI	71	m	0	0	all	-	a	As:Jap	1988	CC	0	current	cig+/-ot	only f	p NOS
WYNDE5	2	m	0	0	all	-	KII	NAmer	1969	CC	0	current	cig+/-ot	ever f	always p
WYNDE5	5	f	0	0	all	-	KII	NAmer	1969	CC	0	current	cig+/-ot	ever f	always p
WYNDE6	302	m	0	0	all	-	a	NAmer	1969	CC	0	current	cig+/-ot	only f	ever p
WYNDE6	308	f	0	0	all	-	a	NAmer	1969	CC	0	current	cig+/-ot	only f	ever p

Appendix Table L3 - 5

IESLC - Meta-analysis of Cigarette Smoking, only Filter vs ever Plain (or nearest available)
Adenocarcinoma
Unadjusted

REF	NRR	SEX	ADJ	Numbers Exposed		Non-exposed		RR	95.00%CI
				Case	Cont	Case	Cont		
LUBIN2	200	m	0	47	1018	624	9419	0.70	(0.51- 0.94)
LUBIN2	232	f	0	19	213	65	354	0.49	(0.28- 0.83)
Subtotal LUBIN2								0.64	(0.49- 0.83)
MATOS	74	m	0	70	229	8	46	1.76	(0.79- 3.90)
PEZZOT	15	m	2	-	-	-	-	0.28	(0.14- 0.55)
SOBUE	74	m	0	218	540	16	26	0.66	(0.35- 1.25)
WAKAI	71	m	0	73	271	0	9	5.14~	(0.30- 89.41)
WYNDE5	2	m	0	139	629	73	398	1.20	(0.88- 1.64)
WYNDE5	5	f	0	68	200	13	30	0.78	(0.39- 1.59)
Subtotal WYNDE5								1.12	(0.85- 1.49)
WYNDE6	302	m	0	88	122	624	754	0.87	(0.65- 1.17)
WYNDE6	308	f	0	158	158	411	309	0.75	(0.58- 0.98)
Subtotal WYNDE6								0.80	(0.66- 0.98)
Partial Totals				880	3380	1834	11345		
*prospective study									~ With 0.5 adjustment for zero

REF	NRR	SEX	ADJ	Ys	Ws	Qs	Ps
LUBIN2	200	m	0	-0.36	41.72	0.77	0.0197
LUBIN2	232	f	0	-0.72	13.24	3.26	0.0086
Subtotal LUBIN2				-0.63	54.96	4.03	
MATOS	74	m	0	0.56	6.05	3.77	0.1655
PEZZOT	15	m	2	-1.27	8.21	9.00	0.0003
SOBUE	74	m	0	-0.42	9.31	0.36	0.1983
WAKAI	71	m	0	1.64	0.47	1.64	0.2610
WYNDE5	2	m	0	0.19	40.01	6.79	0.2386
WYNDE5	5	f	0	-0.24	7.69	0.00	0.5010
Subtotal WYNDE5				0.39	47.70	6.79	
WYNDE6	302	m	0	-0.14	44.47	0.34	0.3594
WYNDE6	308	f	0	-0.29	54.56	0.19	0.0351
Subtotal WYNDE6				0.03	99.03	0.54	

RR data

N	10
NS	7

Wt	225.73
Het Chi	26.12
Het df	9
Het P	**
Fixed RR	0.80
RR1	0.70
RRu	0.91
P	---
Random RR	0.77
RR1	0.59
RRu	0.99
P	-

Appendix Table L3 - 6

IESLC - Meta-analysis of Cigarette Smoking, only Filter vs ever Plain (or nearest available)
Adenocarcinoma
Unadjusted

RR data

N	10
NS	7

Wt	225.73
Het Chi	26.12
Het df	9
Het P	**
Fixed RR	0.80
RRl	0.70
RRu	0.91
P	---
Random RR	0.77
RRl	0.59
RRu	0.99
P	-

RR Description:Sex(RR)			
combined	male	female	Total

N	7	3	10
NS	7	3	10

Wt	150.23	75.50	225.73
Het Chi	22.00	2.14	26.12
Het df	6	2	9
Het P	**	N.S.	**
Fixed RR	0.85	0.70	0.80
RRl	0.73	0.56	0.70
RRu	1.00	0.88	0.91
P	(-)	--	---
Random RR	0.82	0.69	0.77
RRl	0.57	0.54	0.59
RRu	1.18	0.89	0.99
P	N.S.	--	-
Between Chi			1.98
Between df			1
Between P			N.S.

Appendix Table L3 - 7

IESLC - Meta-analysis of Cigarette Smoking, only Filter vs ever Plain (or nearest available)
Adenocarcinoma
Excluded studies (and stage at which they were excluded)

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	BLOT2	BOUCHA	BUELL	HIRAOK	LAURIL	MOLLO	MZILEN	VANDER								
2	BERRIN	CHEN	RESTRE	TAO	ULMER	WEIR										
3	ABELIN	ABRAHA	AKIBA	AMANDU	AMES	ANDERS	ARCHER	ARMSTR	AUSTIN	AUVINE	AXELSS	BAND	BARBON	BENSHL	BEST	
	BLOHMK	BLOT1	BLOT3	BLOT4	BOFFET	BOUCOT	BRESLO	BRETT	BROCKM	BROWN1	BROWN2	BROWN3	BYERS1	BYERS2	CARPEN	CASCO2
	CASCOR	CEDERL	CHAN	CHANG	CHATZI	CHEN2	CHEN3	CHIAZZ	CHOW	CHYOU	COMSTO	COOKSO	CPSI	DAMBER	DARBY	DAVEYS
	DEAN	DEKLER	DOCKER	DOLL2	DORANT	DORGAN	DORN	DOSEME	DROSTE	DU	DUNN	EBELIN	ENSTRO	ESAKI	FAN	GAO
	GAO2	GARCIA	GARDIN	GARSHI	GENG	GER	GILLIS	GODLEY	GOLLED	GOODMA	GRAHAM	GREGOR	GSELL	GURSEL	HAENSZ	HAMMO2
	HAMMON	HANSEN	HEGMAN	HEIN	HENNEK	HINDS	HIRAY2	HIRAYA	HITOSU	HOLE	HOROWI	HORWIT	HU	HU2	HUANG	HUMBLE
	ISHIMA	JAHN	JAIN	JARUP	JARVHO	JEDRYC	JIANG	JOLY	JONES	JUSSAW	KAISER	KANELL	KATSOU	KAUFMA	KELLER	KIHARA
	KINLEN	KJUUUS	KNEKT	KO	KOHLME	KOO	KOULUM	KREUZE	KREYBE	KUBIK	LAMTH	LAMWK	LAMWK2	LAUSSM	LEI	LEMARC
	LETOUR	LEVIN	LIAW	LICKIN	LIDDEL	LIU	LIU2	LIU3	LIU4	LIU5	LOMBA2	LOMBAR	LUBIN	LUO	MAGNUS	MARSH
	MARSH2	MARTIS	MASTRA	MATSUD	MCCONN	MCDUFF	MCLAUG	MILLER	MILLS	MRFIT	MURATA	NAM	NOTAN2	NOTANI	NOU	ODRISC
	ORMOS	OSANN	OSANN2	PARKIN	PASTOR	PAWLEG	PERNU	PERSH2	PERSHA	PETO	PEZZO2	PIKE	PISANI	POFFIJ	POLEDN	PRESCO
	QIAO	QIAO2	RACHTA	RADZIK	RANDIG	REN	RONCO	ROOTS	ROTHSC	SAARIK	SADOWS	SANKAR	SCHWA2	SCHWAR	SEGI	SEOW
	SHAW	SHIMIZ	SIEMIA	SIMARA	SITAS	SOBUE2	SPEIZE	SPITZ	STASZE	STAYNE	STOCKS	STOCKW	STUCKE	SUN	SUZUK2	SUZUKI
	SVENSS	TANG	TENKAN	TIZZAN	TOKARS	TOUSEY	TSUGAN	TULINI	TVERDA	VEIERO	VUTUC	WALD	WANG	WANG2	WANG3	WANG4
	WARSIN	WATSON	WICKLU	WIGLE	WILKIN	WU	WU2	WUNSCH	WUWILL	WYNDE2	WYNDE4	WYNDE7	WYNDE8	WYNDER	XIANGZ	XU
7	XU2	XU3	XU4	YAMAGU	YONG	YUAN	ZHANG	ZHENG	ZHOU							
	AGUDO	ALDERS	ARMADA	BECHER	BENHAM	BROSS	BUFFLE	CHOI	CORREA	CPSII	DEAN2	DEAN3	DESTE2	DESTEF	DOLL	ENGELA
	KAISE2	KHUDER	LANGE	MACLEN	MIGRAN	MRFITR	RIMING	SEGI2	TANG2	WYNDE3						

Appendix Table L3 - 8

IESLC - Meta-analysis of Cigarette Smoking, only Filter vs ever Plain (or nearest available)
Adenocarcinoma
Potentially overlapping studies

REF	REFGP	PRINC2 .	OVERLAP/LINK
LUBIN2	LUBIN2	1	Lubin-combined
WYNDE5	WYNDE6	1	WYNDE5/6/7/8
WYNDE6	WYNDE6	1	WYNDE5/6/7/8

Appendix Table L4 -

IESLC - Meta-analysis of Cigarette Smoking, Hand-rolled vs Manufactured
Adenocarcinoma

This analysis is restricted to results for:

- 1) Results not by amount smoked
- 2) Results complete enough for use in metaanalysis

Within each study, results are then selected (in the following order of preference, within each sex) for:

- 3) CIGTYP: hand-rolled any, both, mainly, only
 - 4) DENOM: manufactured only ever, only current, any, ever
 - 5) PRODUCT: cigarettes regardless of other products, cigarettes only
 - 6) SMKSTA: ever, current
 - 7) LCtype: adeno or nearest available, but not squamous. (q = squamous, s = small, a = adeno, l = large, KII = Kreyberg II, al = alveolar, br = bronchiolar, u = undifferentiated)
 - 8) Race: all or nearest available, otherwise by race (wh or w = white, bl or b = black, hi = hispanic ch = chinese, jap = japanese, haw = hawaiian, w+o = white + oriental, sca = scandinavian, as = asian)
 - 9) Followup period (prospective studies): whole study (coded as 0) or longest available
 - 10) For overlapping studies: principal rather than subsidiary studies
- Finally by Age: whole study (coded as 0) if available, otherwise by widest available age group and then for single sex results (m, f) in preference to combined sex results (c).

Results adjusted for the most potential confounders are then chosen in Sections -1 to -3 and result adjusted for the least confounders in Sections -4 to -6. (Results adjusted for an unknown number of confounder(s) are coded as 20.)

Section -7 shows excluded studies, together with the stage (as above) at which no qualifying results were found.

Section -8 lists the potentially overlapping studies which have been included (1=principal, 2=subsidiary), and any results which would have been included in preference except that they had incomplete data (i.e. were deselected at stage 2). It also lists their significance (yes/no), if known.

Appendix Table L4 - 1

IESLC - Meta-analysis of Cigarette Smoking, Hand-rolled vs Manufactured
Adenocarcinoma
Adjusted

REF	NRR	SEX	AGEL	AGEH	RACE	FOL	ADENO	LOC	START	STTYP	ADJ	SMKSTA	PRODUCT	CIGTYP	DENOM
ALDERS	151	m	0	0	all	-	not q+s	Eu:UK	1977	CC	1	ever cig only	both m&h	only mc	
DESTEF	37	m	0	0	all	-	a	SCAmer	1988	CC	6	ever cig+/-ot	both m&h	only mc	
ENGELA	192	m	0	0	all	0	a	Eu:Sca	1964	prosp	7	current cig+/-ot	both m&h	only mc	
JUSSAW	40	m	0	0	all	-	KII As:Ind	1964	CC	0	ever cig only	only hr	only mc		

Appendix Table L4 - 2

IESLC - Meta-analysis of Cigarette Smoking, Hand-rolled vs Manufactured
Adenocarcinoma
Adjusted

REF	NRR	SEX	ADJ	Numbers Exposed		Non-exposed		RR	95.00%CI
				Case	Cont	Case	Cont		
ALDERS 151	m 1			-	-	-	-	2.70 (1.67-	4.37)
DESTEF 37	m 6			-	-	-	-	2.30 (1.30-	4.30)
*ENGELA 192	m 7			-	-	-	-	0.43 (0.18-	0.99)
JUSSAW 40	m 0			29	85	3	77	8.76 (2.56-	29.90)
Partial Totals				29	85	3	77		

*prospective study

REF	NRR	SEX	ADJ	Ys	Ws	Qs	Ps
ALDERS 151	m 1			0.99	16.61	0.96	0.0001
DESTEF 37	m 6			0.83	10.74	0.07	0.0063
*ENGELA 192	m 7			-0.84	5.29	13.49	0.0523
JUSSAW 40	m 0			2.17	2.55	5.11	0.0005

RR data

N	4
NS	4

Wt	35.18
Het Chi	19.62
Het df	3
Het P	***
Fixed RR	2.12
RRl	1.53
RRu	2.96
P	+++
Random RR	2.09
RRl	0.83
RRu	5.25
P	N.S.

Appendix Table L4 - 3

IESLC - Meta-analysis of Cigarette Smoking, Hand-rolled vs Manufactured
Adenocarcinoma
Adjusted

RR data

N	4		
NS	4		
Wt	35.18		
Het Chi	19.62		
Het df	3		
Het P	***		
Fixed RR	2.12		
RRl	1.53		
RRu	2.96		
P	+++		
Random RR	2.09		
RRl	0.83		
RRu	5.25		
P	N.S.		
RR Description:Sex(RR)			
combined	male	female	Total
N	4		4
NS	4		4
Wt	35.18		35.18
Het Chi	19.62		19.62
Het df	3		3
Het P	***		***
Fixed RR	2.12		2.12
RRl	1.53		1.53
RRu	2.96		2.96
P	+++		+++
Random RR	2.09		2.09
RRl	0.83		0.83
RRu	5.25		5.25
P	N.S.		N.S.
Between Chi			
Between df			
Between P			N.S.

Appendix Table L4 - 4

IESLC - Meta-analysis of Cigarette Smoking, Hand-rolled vs Manufactured
Adenocarcinoma
Unadjusted

REF	NRR	SEX	AGEL	AGEH	RACE	FOL	ADENO	LOC	START	STTYP	ADJ	SMKSTA	PRODUCT	CIGTYP	DENOM
ALDERS	159	m	0	0	all	-	not q+s	Eu:UK	1977	CC	0	ever cig only	both m&h	only mc	
DESTEF	37	m	0	0	all	-	a	SCAmer	1988	CC	6	ever cig+/-ot	both m&h	only mc	
ENGELA	192	m	0	0	all	0	a	Eu:Sca	1964	prosp	7	current cig+/-ot	both m&h	only mc	
JUSSAW	40	m	0	0	all	-	KII As:Ind	1964	CC	0	ever cig only	only hr	only mc		

Appendix Table L4 - 5

IESLC - Meta-analysis of Cigarette Smoking, Hand-rolled vs Manufactured
Adenocarcinoma
Unadjusted

REF	NRR	SEX	ADJ	Numbers Exposed		Non-exposed		RR	95.00%CI
				Case	Cont	Case	Cont		
ALDERS 159	m 0			40	113	62	349	1.99 (1.27- 3.13)
DESTEF 37	m 6			-	-	-	-	2.30 (1.30- 4.30)
*ENGELA 192	m 7			-	-	-	-	0.43 (0.18- 0.99)
JUSSAW 40	m 0			29	85	3	77	8.76 (2.56- 29.90)
Partial Totals				69	198	65	426		

*prospective study

REF	NRR	SEX	ADJ	Ys	Ws	Qs	Ps
ALDERS 159	m 0			0.69	18.92	0.11	0.0027
DESTEF 37	m 6			0.83	10.74	0.51	0.0063
*ENGELA 192	m 7			-0.84	5.29	11.25	0.0523
JUSSAW 40	m 0			2.17	2.55	6.16	0.0005

RR data

N	4
NS	4

Wt	37.50
Het Chi	18.03
Het df	3
Het P	***
Fixed RR	1.85
RRl	1.34
RRu	2.55
P	+++
Random RR	1.91
RRl	0.80
RRu	4.55
P	N.S.

Appendix Table L4 - 6

IESLC - Meta-analysis of Cigarette Smoking, Hand-rolled vs Manufactured
Adenocarcinoma
Unadjusted

RR data

N	4	
NS	4	
Wt	37.50	
Het Chi	18.03	
Het df	3	
Het P	***	
Fixed RR	1.85	
RRl	1.34	
RRu	2.55	
P	+++	
Random RR	1.91	
RRl	0.80	
RRu	4.55	
P	N.S.	
RR Description:Sex(RR)		
combined	male	female
		Total
N	4	4
NS	4	4
Wt	37.50	37.50
Het Chi	18.03	18.03
Het df	3	3
Het P	***	***
Fixed RR	1.85	1.85
RRl	1.34	1.34
RRu	2.55	2.55
P	+++	+++
Random RR	1.91	1.91
RRl	0.80	0.80
RRu	4.55	4.55
P	N.S.	N.S.
Between Chi		
Between df		
Between P		N.S.

Appendix Table L4 - 7

IESLC - Meta-analysis of Cigarette Smoking, Hand-rolled vs Manufactured
Adenocarcinoma
Excluded studies (and stage at which they were excluded)

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	BLOT2	BOUCHA	BUELL	HIRAOK	LAURIL	MOLLO	MZILEN	VANDER								
2	BERRIN	CHEN	RESTRE	TAO	ULMER	WEIR										
3	ABELIN	ABRAHA	AGUDO	AKIBA	AMANDU	AMES	ANDERS	ARCHER	ARMADA	ARMSTR	AUSTIN	AUVINE	AXELSS	BAND	BARBON	
	BECHER	BENSHL	BEST	BLOHMK	BLOT1	BLOT3	BLOT4	BOFFET	BOUCOT	BRESLO	BRETT	BROCKM	BROSS	BROWN1	BROWN2	BROWN3
	BYERS1	BYERS2	CARPEN	CASCO2	CASCOR	CEDERL	CHANG	CHATZI	CHEN2	CHEN3	CHIAZZ	CHOI	CHOW	CHYOU	COMSTO	COOKSO
	CORREA	CPSI	CPSII	DAMBER	DARBY	DAVEYS	DEAN	DEAN2	DEKLER	DOCKER	DOLL	DOLL2	DORANT	DORGAN	DORN	DOSEME
	DROSTE	DU	DUNN	EBELIN	ENSTRO	ESAKI	FAN	GAO	GAO2	GARCIA	GARSHI	GENG	GER	GILLIS	GODLEY	GOLLED
	GOODMA	GRAHAM	GREGOR	GSELL	GURSEL	HAENSZ	HAMMO2	HAMMON	HANSEN	HEGMAN	HEIN	HENNEK	HINDS	HIRAY2	HIRAYA	HITOSU
	HOLE	HOROWI	HORWIT	HUANG	HUMBLE	ISHIMA	JAHN	JAIN	JARUP	JARVHO	JEDRYC	JIANG	JOLY	JONES	KAISE2	KAISER
	KANELL	KATSOU	KAUFMA	KELLER	KHUDER	KIHARA	KINLEN	KJUUUS	KNEKT	KO	KOHLM	KOO	KOULUM	KREUZE	KREYBE	KUBIK
	LAMTH	LAMWK	LAMWK2	LANGE	LAUSSM	LEI	LEMARC	LETOUR	LEVIN	LIAW	LIICKIN	LIDDEL	LIU	LIU2	LIU3	LIU4
	LIU5	LOMBA2	LOMBAR	LUBIN	LUBIN2	LUO	MAGNUS	MARSH	MARSH2	MARTIS	MASTRA	MATOS	MATSUD	MCCONN	MCDUFF	MCLAUG
	MILLER	MILLS	MRFIT	MRFITR	MURATA	NAM	NOTANI	NOU	ODRISC	ORMOS	OSANN	OSANN2	PARKIN	PASTOR	PAWLEG	PERSH2
	PERSHA	PETO	PEZZO2	PEZZOT	PIKE	PISANI	POFFIJ	POLEDN	PRESCO	QIAO	QIAO2	RACHTA	RADZIK	RANDIG	REN	RIMING
	RONCO	ROOTS	ROTHSC	SAARIK	SADOWS	SANKAR	SCHWA2	SCHWAR	SEGI	SEGI2	SEOW	SHAW	SHIMIZ	SIEMIA	SIMARA	SITAS
	SOBUE	SOBUE2	SPEIZE	SPITZ	STASZE	STAYNE	STOCKS	STOCKW	STUCKE	SUN	SUZUKI	SVENSS	TANG	TANG2	TENKAN	TIZZAN
	TOKARS	TOUSEY	TSUGAN	TULINI	TVERDA	VEIERO	VUTUC	WAKAI	WALD	WANG	WANG2	WANG3	WANG4	WARSIN	WATSON	WICKLU
	WIGLE	WILKIN		WU	WU2	WUNSCH	WUWILL	WYNDE2	WYNDE3	WYNDE4	WYNDE5	WYNDE6	WYNDE7	WYNDE8	WYNDER	XIANGZ
	XU2	XU3	XU4	YAMAGU	YONG	YUAN	ZHANG	ZHENG	ZHOU							XU
4	BUFFLE	DEAN3														
6	BENHAM	CHAN	DEST2	GARDIN	HU	HU2	MACLEN	MIGRAN	NOTAN2	PERNU	SUZUK2					

Appendix Table L5 -

IESTLC - Meta-analysis of Cigarette Smoking, Menthol vs non-menthol
Adenocarcinoma

This analysis is restricted to results for:

- 1) Results not by amount smoked
- 2) Results complete enough for use in metaanalysis

Within each study, results are then selected (in the following order of preference, within each sex) for:

- 3) Cigarette type: menthol
 - 4) Denominator: non-menthol
 - 5) PRODUCT: cigarettes regardless of other products, cigarettes only
 - 6) SMKSTA: ever, current
 - 7) LCtype: adeno or nearest available, but not squamous. (q = squamous, s = small, a = adeno, l = large, KII = Kreyberg II, al = alveolar, br = bronchiolar, u = undifferentiated)
 - 8) Race: all or nearest available, otherwise by race (wh or w = white, bl or b = black, hi = hispanic ch = chinese, jap = japanese, haw = hawaiian, w+o = white + oriental, sca = scandinavian, as = asian)
 - 9) Followup period (prospective studies): whole study (coded as 0) or longest available
 - 10) For overlapping studies: principal rather than subsidiary studies
- Finally by Age: whole study (coded as 0) if available, otherwise by widest available age group and then for single sex results (m, f) in preference to combined sex results (c).

Results adjusted for the most potential confounders are then chosen in Sections -1 to -3 and result adjusted for the least confounders in Sections -4 to -6. (Results adjusted for an unknown number of confounder(s) are coded as 20.)

Section -7 shows excluded studies, together with the stage (as above) at which no qualifying results were found.

Section -8 lists the potentially overlapping studies which have been included (1=principal, 2=subsidiary), and any results which would have been included in preference except that they had incomplete data (i.e. were deselected at stage 2). It also lists their significance (yes/no), if known.

Appendix Table L5 - 1

IESLC - Meta-analysis of Cigarette Smoking, Menthol vs non-menthol
Adenocarcinoma
Adjusted

REF	NRR	SEX	AGEL	AGEH	RACE	FOL	ADENO	LOC	START	STTYP	ADJ	SMKSTA	PRODUCT
WYNDE8	8	c	0	0	all	-	a	NAmer	1985	CC	8	current cig+/-ot	

Appendix Table L5 - 2

IESLC - Meta-analysis of Cigarette Smoking, Menthol vs non-menthol
Adenocarcinoma
Adjusted

REF	NRR	SEX	ADJ	Numbers Exposed		Non-exposed		RR	95.00%CI
				Case	Cont	Case	Cont		
WYNDE8	8	c	8	-	-	-	-	0.96	(0.73- 1.27)
Partial Totals				0	0	0	0		

*prospective study

REF	NRR	SEX	ADJ	Ys	Ws	Qs	Ps
WYNDE8	8	c	8	-0.04	50.11	0.00	0.7726

RR data

N	1
NS	1

Wt	50.11
Het Chi	0.00
Het df	0
Het P	N.S.
Fixed RR	0.96
RRl	0.73
RRu	1.27
P	N.S.
Random RR	0.96
RRl	0.73
RRu	1.27
P	N.S.

Appendix Table L5 - 3

IESLC - Meta-analysis of Cigarette Smoking, Menthol vs non-menthol
Adenocarcinoma
Adjusted

RR data

N	1	
NS	1	
Wt	50.11	
Het Chi	0.00	
Het df	0	
Het P	N.S.	
Fixed RR	0.96	
RRl	0.73	
RRu	1.27	
P	N.S.	
Random RR	0.96	
RRl	0.73	
RRu	1.27	
P	N.S.	
RR Description:Sex(RR)		
combined	male	female
		Total
N	1	1
NS	1	1
Wt	50.11	50.11
Het Chi	0.00	0.00
Het df	0	0
Het P	N.S.	N.S.
Fixed RR	0.96	0.96
RRl	0.73	0.73
RRu	1.27	1.27
P	N.S.	N.S.
Random RR	0.96	0.96
RRl	0.73	0.73
RRu	1.27	1.27
P	N.S.	N.S.
Between Chi		
Between df		
Between P		N.S.

Appendix Table L5 - 4

IESTLC - Meta-analysis of Cigarette Smoking, Menthol vs non-menthol
Adenocarcinoma
Unadjusted

REF	NRR	SEX	AGEL	AGEH	RACE	FOL	ADENO	LOC	START	STTYP	ADJ	SMKSTA	PRODUCT
WYNDE8	8	c	0	0	all	-	a	NAmer	1985	CC	8	current cig+/-ot	

Appendix Table L5 - 5

IESLC - Meta-analysis of Cigarette Smoking, Menthol vs non-menthol
Adenocarcinoma
Unadjusted

REF	NRR	SEX	ADJ	Numbers Exposed		Non-exposed		RR	95.00%CI
				Case	Cont	Case	Cont		
WYNDE8	8	c	8	-	-	-	-	0.96	(0.73- 1.27)
Partial Totals				0	0	0	0		

*prospective study

REF	NRR	SEX	ADJ	Ys	Ws	Qs	Ps
WYNDE8	8	c	8	-0.04	50.11	0.00	0.7726

RR data

N	1
NS	1

Wt	50.11
Het Chi	0.00
Het df	0
Het P	N.S.
Fixed RR	0.96
RRl	0.73
RRu	1.27
P	N.S.
Random RR	0.96
RRl	0.73
RRu	1.27
P	N.S.

Appendix Table L5 - 6

IESLC - Meta-analysis of Cigarette Smoking, Menthol vs non-menthol
Adenocarcinoma
Unadjusted

RR data

N	1	
NS	1	
Wt	50.11	
Het Chi	0.00	
Het df	0	
Het P	N.S.	
Fixed RR	0.96	
RRl	0.73	
RRu	1.27	
P	N.S.	
Random RR	0.96	
RRl	0.73	
RRu	1.27	
P	N.S.	
RR Description:Sex(RR)		
combined	male	female
		Total
N	1	1
NS	1	1
Wt	50.11	50.11
Het Chi	0.00	0.00
Het df	0	0
Het P	N.S.	N.S.
Fixed RR	0.96	0.96
RRl	0.73	0.73
RRu	1.27	1.27
P	N.S.	N.S.
Random RR	0.96	0.96
RRl	0.73	0.73
RRu	1.27	1.27
P	N.S.	N.S.
Between Chi		
Between df		
Between P		N.S.

Appendix Table L5 - 7

IESLC - Meta-analysis of Cigarette Smoking, Menthol vs non-menthol
Adenocarcinoma
Excluded studies (and stage at which they were excluded)

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	BLOT2	BOUCHA	BUELL	HIRAOK	LAURIL	MOLLO	MZILEN	VANDER								
2	BERRIN	CHEN	RESTRE	TAO	ULMER	WEIR										
3	ABELIN	ABRAHA	AGUDO	AKIBA	ALDERS	AMANDU	AMES	ANDERS	ARCHER	ARMADA	ARMSTR	AUSTIN	AUVINE	AXELSO	AXELSS	BAND
	BARBON	BECHER	BENHAM	BENSHL	BEST	BLOHMK	BLOT1	BLOT3	BLOT4	BOFFET	BOUCOT	BRESLO	BRETT	BROCKM	BROWN1	BROWN2
	BROWN3	BUFFLE	BYERS1	BYERS2	CASCO2	CASCOR	CEDERL	CHAN	CHANG	CHATZI	CHEN2	CHEN3	CHIAZZ	CHOI	CHOW	CHYOU
	COMSTO	COOKSO	CORREA	CPSI	CPSII	DAMBER	DARBY	DAVEYS	DEAN	DEAN2	DEAN3	DEKLER	DEST2	DESTEF	DOCKER	DOLL
	DOLL2	DORANT	DORGAN	DORN	DOSEME	DROSTE	DU	DUNN	EBELIN	ENGELA	ENSTRO	ESAKI	FAN	GAO	GAO2	GARCIA
	GARDIN	GARSHI	GENG	GER	GILLIS	GODLEY	GOLLED	GOODMA	GRAHAM	GREGOR	GSELL	GURSEL	HAENSZ	HAMMO2	HAMMON	HANSEN
	HEGMAN	HEIN	HENNEK	HINDS	HIRAY2	HIRAYA	HITOSU	HOLE	HOROWI	HORWIT	HU	HU2	HUANG	HUMBLE	ISHIMA	JAHN
	JAIN	JARUP	JARVHO	JEDRYC	JIANG	JOLY	JONES	JUSSAW	KAISER	KANELL	KATSOU	KAUFMA	KELLER	KHUDER	KIHARA	KINLEN
	KJUU5	KNEKT	KO	KOHLME	KOO	KOULUM	KREUZE	KREYBE	KUBIK	LAMTH	LAMWK	LAMWK2	LANGE	LAUSSM	LEI	LEMARC
	LETOUR	LEVIN	LIAW	LUICKIN	LIDDEL	LIU	LIU2	LIU3	LIU4	LIU5	LOMBA2	LOMBAR	LUBIN	LUBIN2	LUO	MACLEN
	MAGNUS	MARSH	MARSH2	MARTIS	MASTRA	MATOS	MATSUD	MCCONN	MCDUFF	MCLAUG	MIGRAN	MILLER	MILLS	MRFIT	MRFITR	MURATA
	NAM	NOTAN2	NOTANI	NOU	ODRISC	ORMOS	OSANN	OSANN2	PARKIN	PASTOR	PAWLEG	PERNU	PERSH2	PERSHA	PETO	PEZZO2
	PEZZOT	PIKE	PISANI	POFFIJ	POLEDN	PRESKO	QIAO	QIAO2	RACHTA	RADZIK	RANDIG	REN	RIMING	RONCO	ROOTS	ROTHSC
	SAARIK	SADOWS	SANKAR	SCHWA2	SCHWAR	SEGI	SEGI2	SEOW	SHAW	SHIMIZ	SIEMIA	SIMARA	SITAS	SOBUE	SOBUE2	SPEIZE
	SPITZ	STASZE	STAYNE	STOCKS	STOCKW	STUCKE	SUN	SUZUK2	SUZUKI	SVENSS	TANG	TANG2	TENKAN	TIZZAN	TOKARS	TOUSEY
	TSUGAN	TULINI	TVERDA	VEIERO	VUTUC	WAKAI	WALD	WANG	WANG2	WANG3	WANG4	WARSIN	WATSON	WICKLU	WIGLE	WILKIN
	WU	WU2	WUNSCH	WUWILL	WYNDE2	WYNDE3	WYNDE4	WYNDE5	WYNDE6	WYNDE7	WYNDER	XIANGZ	XU	XU2	XU3	XU4
4	YAMAGU	YONG	YUAN	ZHANG	ZHENG	ZHOU										
7	BROSS	CARPEN	KAISE2													

Appendix Table L5 - 8

IESTLC - Meta-analysis of Cigarette Smoking, Menthol vs non-menthol
Adenocarcinoma
Potentially overlapping studies

REF	REFGP	PRINC	OVERLAP/LINK
WYNDE8	WYNDE6	2	WYNDE5/6/7/8