

Appendix BThe references corresponding to the reference keys given in Appendix A

ADDOYO2001 Addo-Yobo EOD, Custovic A, Taggart SCO, Craven M, Bonnie B, Woodcock A. Risk factors for asthma in urban Ghana. *J Allergy Clin Immunol* 2001;108:363-8.

AGABIT1999 Agabiti N, Mallone S, Forastière F, Corbo GM, Ferro S, Renzoni E, et al. The impact of parental smoking on asthma and wheezing. *Epidemiology* 1999;10:692-8.

AKCAKA2000 Akçakaya N, Kulak K, Hassanzadeh A, Camcioğlu Y, Çokuğraş H. Prevalence of bronchial asthma and allergic rhinitis in Istanbul school children. *Eur J Epidemiol* 2000;16:693-9.

ALBA1996 Alba F, Flecha E, Alba J, Hernández R, Busquets E. Características asociadas al asma infantil en pacientes asistidos en atención primaria. (Characteristic features of asthma in children treated in primary care). *Aten Primaria* 1996;18:83-6.

ALDAWO2000 Al-Dawood K. Epidemiology of bronchial asthma among school boys in Al-Khobar City, Saudi Arabia: Cross-sectional study. *Croat Med J* 2000;41:437-41.

ALDAWO2001B Al-Dawood KM. Epidemiology of bronchial asthma among school boys in Al-Khobar city, Saudi Arabia. *Saudi Med J* 2001;22:61-6.

ALFRAY1989 al Frayh AR, al Nahdi M, Bener AR, Jawadi TQ. Epidemiology of asthma and allergic rhinitis in two coastal regions of Saudi Arabia. *Allerg Immunol* 1989;21:389-93.

ALFRAY1990 al Frayh AR. Asthma patterns in Saudi Arabian children. *J R Soc Health* 1990;110:98-100.

ALFRAY1992 Al-Frayh A, Bener A, Al-Jawadi TQ. Prevalance of asthma among Saudi schoolchildren. *Saudi Med J* 1992;13:521-4.

ANDERS1986 Anderson HR, Bland JM, Peckham C. The natural history of asthma in childhood. *J Epidemiol Community Health* 1986;40:121-9.

ANDERS1987 Anderson HR, Bland JM, Peckham CS. Risk factors for asthma up to 16 years of age: evidence from a national cohort study. *Chest* 1987;91(Suppl):127S-30S.

ANDERS1992B Anderson HR, Pottier AC, Strachan DP. Asthma from birth to age 23: incidence and relation to prior and concurrent atopic disease. *Thorax* 1992;47:537-42.

ANDRAE1988 Andrae S, Axelson O, Björkstén B, Fredriksson M, Kjellman N-IM. Symptoms of bronchial hyperreactivity and asthma in relation to environmental factors. *Arch Dis Child* 1988;63:473-8.

ANNESI1996 Annesi-maesano I, Sampogna F, Stazi MA, Grandolfo ME. Atopic sensitization and respiratory symptoms in relation to environmental tobacco smoking (ETS) among Italian infants [Abstract]. *Eur Respir J* 1996;9(Suppl 23):467s.

ANNESI2001 Annesi-maesano I, Moreau D, Strachan D. *In utero* and perinatal complications preceding asthma. *Allergy* 2001;56:491-7.

ARSHAD1992 Arshad SH, Hide DW. Effect of environmental factors on the development of allergic disorders in infancy. *J Allergy Clin Immunol* 1992;90:235-41.

- ARSHAD1992A** Arshad SH, Matthews S, Gant C, Hide DW. Effect of allergen avoidance on development of allergic disorders in infancy. *Lancet* 1992;339:1493-7.
- ARSHAD1993** Arshad SH, Stevens M, Hide DW. The effect of genetic and environmental factors on the prevalence of allergic disorders at the age of two years. *Clin Exp Allergy* 1993;23:504-11.
- AZIZI1995** Azizi BHO, Zulkifli HI, Kasim MS. Indoor air pollution and asthma in hospitalized children in a tropical environment. *J Asthma* 1995;32:413-8.
- BALL2000** Ball TM, Holberg CJ, Wright AL. Siblings, day-care attendance, and the risk of asthma and wheezing. The authors reply [Letter]. *N Engl J Med* 2000;343:1968.
- BALL2000B** Ball TM, Castro-Rodriguez JA, Griffith KA, Holberg CJ, Martinez FD, Wright AL. Siblings, day-care attendance, and the risk of asthma and wheezing during childhood. *N Engl J Med* 2000;343:538-43.
- BARRET2001A** Barreto M, Villa MP, Martella S, Ronchetti F, Darder MT, Falasca C, et al. Exhaled nitric oxide in asthmatic and non-asthmatic children: influence of type of allergen sensitization and exposure to tobacco smoke. *Pediatr Allergy Immunol* 2001;12:247-56.
- BECKET1996** Beckett WS, Belanger K, Gent JF, Holford TR, Leaderer BP. Asthma among Puerto Rican Hispanics: a multi-ethnic comparison study of risk factors. *Am J Respir Crit Care Med* 1996;154:894-9.
- BENER1991** Bener A, Al-Frayh Facharzt AR, Al-Jawadi TQ. Parental smoking and the risk of childhood asthma. *J Asthma* 1991;28:281-6.
- BENER1996** Bener A, Abdulrazzaq YM, Al-Mutawwa J, Debuse P. Genetic and environmental factors associated with asthma. *Hum Biol* 1996;68:405-14.
- BERGMA2000** Bergmann RL, Edenharter G, Bergmann KE, Lau S, Wahn U. Socioeconomic status is a risk factor for allergy in parents but not in their children. *Clin Exp Allergy* 2000;30:1740-5.
- BONCI1993** Bonci E, Antognoni G, Villa MP, Indinnimeo L, Macri F, Signoretti F, et al. Hereditary and environmental factors as determinant of asthma: changes over time among children aged 6-13 years [Abstract]. *Eur Respir J* 1993;6(Sup):234S.
- BRABIN1994** Brabin B, Smith M, Milligan P, Benjamin C, Dunne E, Pearson M. Respiratory morbidity in Merseyside schoolchildren exposed to coal dust and air pollution. *Arch Dis Child* 1994;70:305-12.
- BRAUNF1997** Braun-Fahrländer C, Vuille JC, Sennhauser FH, Neu U, Künzle T, Grize L, et al. Respiratory health and long-term exposure to air pollutants in Swiss schoolchildren. *Am J Respir Crit Care Med* 1997;155:1042-9.
- BURCHF1986** Burchfiel CM, Higgins MW, Keller JB, Howatt WF, Butler WJ, Higgins ITT. Passive smoking in childhood. Respiratory conditions and pulmonary function in Tecumseh, Michigan. *Am Rev Respir Dis* 1986;133:966-73.
- BURR1993** Burr ML, Limb ES, Maguire MJ, Amarah L, Eldridge BA, Layzell JCM, et al. Infant feeding, wheezing, and allergy: a prospective study. *Arch Dis Child* 1993;68:724-8.
- BUTZ1992** Butz AM, Rosenstein BJ. Passive smoking among children with chronic respiratory disease. *J Asthma* 1992;29:265-72.

- CALL1992** Call RS, Smith TF, Morris E, Chapman MD, Platts-Mills TAE. Risk factors for asthma in inner city children. *J Pediatr* 1992;121:862-6.
- CAREY1996** Carey VJ, Weiss ST, Tager IB, Leeder SR, Speizer FE. Airways responsiveness, wheeze onset, and recurrent asthma episodes in young adolescents. *Am J Respir Crit Care Med* 1996;153:356-61.
- CHEN1988** Chen Y, Li W, Yu S, Qian W. Chang-Ning epidemiological study of children's health: 1: Passive smoking and children's respiratory diseases. *Int J Epidemiol* 1988;17:348-55.
- CHEN1996A** Chen Y, Rennie DC, Dosman JA. Influence of environmental tobacco smoke on asthma in nonallergic and allergic children. *Epidemiology* 1996;7:536-9.
- CHHABR1998** Chhabra SK, Gupta CK, Chhabra P, Rajpal S. Prevalence of bronchial asthma in schoolchildren in Delhi. *J Asthma* 1998;35:291-6.
- CHINN1991** Chinn S, Rona RJ. Quantifying health aspects of passive smoking in British children aged 5-11 years. *J Epidemiol Community Health* 1991;45:188-94.
- CHINN2001** Chinn S, Rona RJ. Can the increase in body mass index explain the rising trend in asthma in children? *Thorax* 2001;56:845-50.
- CLARK1994** Clark SJ, Warner JO, Dean TP. Passive smoking amongst asthmatic children. Questionnaire or objective assessment? *Clin Exp Allergy* 1994;24:276-80.
- CSONKA2000** Csonka P, Kaila M, Laippala P, Kuusela A-L, Ashorn P. Wheezing in early life and asthma at school age: predictors of symptom persistence. *Pediatr Allergy Immunol* 2000;11:225-9.
- CUNNIN1995** Cunningham J, Dockery DW, Gold DR, Speizer FE. Racial differences in the association between maternal smoking during pregnancy and lung function in children. *Am J Respir Crit Care Med* 1995;152:565-9.
- CUNNIN1996** Cunningham J, O'Connor GT, Dockery DW, Speizer FE. Environmental tobacco smoke, wheezing, and asthma in children in 24 communities. *Am J Respir Crit Care Med* 1996;153:218-24.
- DAIGLE1991** Daigler GE, Markello SJ, Cummings KM. The effect of indoor air pollutants on otitis media and asthma in children. *Laryngoscope* 1991;101:293-6.
- DEBENE1994** De Benedetto F, Marinari S, Di Lella M, Panella G, D'Intino D, Corbo G, et al. Prenatal, perinatal and environmental risk factors for respiratory diseases in childhood [Abstract]. *Eur Respir J* 1994;7(Sp 18):125s.
- DEKKER1991** Dekker C, Dales R, Bartlett S, Brunekreef B, Zwanenburg H. Childhood asthma and the indoor environment. *Chest* 1991;100:922-6.
- DEKOK1996** De Kok ME, Mertens PLJM, Cuijpers CEJ, Swaen GMH, Wesseling GJ, Broer J, et al. The rate of respiratory symptoms among primary school children in two Dutch regions. *Eur J Pediatr* 1996;155:506-11.
- DELL2001** Dell S, To T. Breastfeeding and asthma in young children. Findings from a population-based study. *Arch Pediatr Adolesc Med* 2001;155:1261-5.

- DIJKST1988** Dijkstra LJ, Houthuijs D, Akkerman I, Brunekreef B. Health effects of indoor exposure to nitrogen dioxide and tobacco smoke. In: Perry R, Kirk PW, editors. *Indoor and ambient air quality, Indoor and Ambient Air Conference, Imperial College London, 13-15 June, 1988*. London: Selper Ltd, 1988;277-86.
- DIJKST1990** Dijkstra L, Houthuijs D, Brunekreef B, Akkerman I, Boleij JSM. Respiratory health effects of the indoor environment in a population of Dutch children. *Am Rev Respir Dis* 1990;142:1172-8.
- DODGE1982** Dodge R. The effects of indoor pollution on Arizona children. *Arch Environ Health* 1982;37:151-5.
- DODGE1983** Dodge R. The respiratory health and lung function of Anglo-American children in a smelter town. *Am Rev Respir Dis* 1983;127:158-61.
- DOLD1992** Dold S, Reitmeir P, Wjst M, von Mutius E. Auswirkungen des Passivrauchens auf den kindlichen Respirationstrakt. (Respiratory symptoms and lung function in children exposed to passive smoking). *Monatsschr Kinderheilkd* 1992;140:763-8.
- DOTTER2001** Dotterud LK, Odland JØ, Falk ES. Atopic diseases among schoolchildren in Nikel, Russia, an Arctic area with heavy air pollution. *Acta Derm Venereol* 2001;81:198-201.
- ECE2001** Ece A, Ceylan A, Saraçlar Y, Saka G, Gürkan F, Haspolat K. Prevalence of asthma and other allergic disorders among schoolchildren in Diyarbakir, Turkey. *Turk J Pediatr* 2001;43:286-92.
- EHRLIC1992** Ehrlich R, Kattan M, Godbold J, Saltzberg DS, Grimm KT, Landrigan PJ, et al. Childhood asthma and passive smoking: Urinary cotinine as a biomarker of exposure. *Am Rev Respir Dis* 1992;145:594-9.
- EHRLIC1995** Ehrlich R, du Toit D, Jordaan E, Zwarenstein M, Potter P, Volmink J, et al. Environmental risk factors for asthma in childhood [Abstract]. *Epidemiology* 1995;6:21S.
- EHRLIC1995A** Ehrlich RI, du Toit D, Jordaan E, Volmink JA, Weinberg EG, Zwarenstein M. Prevalence and reliability of asthma symptoms in primary school children in Cape Town. *Int J Epidemiol* 1995;24:1138-45.
- EHRLIC1996** Ehrlich RI, du Toit D, Jordaan E, Zwarenstein M, Potter P, Volmink JA, et al. Risk factors for childhood asthma and wheezing. Importance of maternal and household smoking. *Am J Respir Crit Care Med* 1996;154:681-8.
- FAGBUL1994** Fagbule D, Ekanem EE. Some environmental risk factors for childhood asthma: a case-control study. *Ann Trop Paediatr* 1994;14:15-9.
- FARBER1997** Farber HJ, Wattigney W, Berenson G. Trends in asthma prevalence: the Bogalusa heart study. *Ann Allergy Asthma Immunol* 1997;78:265-9.
- FAROOQ1998** Farooqi IS, Hopkin JM. Early childhood infection and atopic disorder. *Thorax* 1998;53:927-32.
- FERGUS1985** Fergusson DM, Horwood LJ. Parental smoking and respiratory illness during early childhood: a six-year longitudinal study. *Pediatr Pulmonol* 1985;1:99-106.
- FERRIS1979** Ferris BG, Jr., Speizer FE, Spengler JD, Dockery D, Bishop YMM, Wolfson M, et al. Effects of sulfur oxides and respirable particles on human health: methodology and demography of populations in study. *Am Rev Respir Dis* 1979;120:767-79.

- FIELDE1999** Fielder HMP, Lyons RA, Heaven M, Morgan H, Govier P, Hooper M. Effect of environmental tobacco smoke on peak flow variability. *Arch Dis Child* 1999;80:253-6.
- FLYNN1994** Flynn MG. Respiratory symptoms of rural Fijian and Indian children in Fiji. *Thorax* 1994;49:1201-4.
- FLYNN1994A** Flynn MGL. Respiratory symptoms, bronchial responsiveness, and atopy in Fijian and Indian children. *Am J Respir Crit Care Med* 1994;150:415-20.
- FOGELM1980** Fogelman K. Smoking in pregnancy and subsequent development of the child. *Child Care Health Dev* 1980;6:233-49.
- FORAST1992** Forastiere F, Corbo GM, Michelozzi P, Pistelli R, Agabiti N, Brancato G, et al. Effects of environment and passive smoking on the respiratory health of children. *Int J Epidemiol* 1992;21:66-73.
- FORAST1992A** Forastiere F, Corbo GM, Michelozzi P, Pistelli R, Agabiti N, Brancato G, et al. Effects of environment and passive smoking on the respiratory health of children [Letter]. *Int J Epidemiol* 1992;1032.
- FORSBE1997** Forsberg B, Pekkanen J, Clench-Aas J, Martensson M-B, St Jernberg N, Bartonova A, et al. Childhood asthma in four regions in Scandinavia: Risk factors and avoidance effects. *Int J Epidemiol* 1997;26:610-9.
- FRISCH1992A** Frischer T, Kuehr J, Meinert R, Karmaus W, Barth R, Hermann-Kunz E, et al. Maternal smoking in early childhood: a risk factor for bronchial responsiveness to exercise in primary-school children. *J Pediatr* 1992;121:17-22.
- FRISCH1993** Frischer T, Kühr J, Meinert R, Karmaus W, Urbanek R. Influence of maternal smoking on variability of peak expiratory flow rate in school children. *Chest* 1993;104:1133-7.
- FUJI2002** Fuji Y, Shima M, Ando M, Adachi M, Tsunetoshi Y. Effect of air pollution and environmental tobacco smoke on serum hyaluronate concentrations in school children. *Occup Environ Med* 2002;59:124-8.
- GERGEN1998** Gergen PJ, Fowler JA, Maurer KR, Davis WW, Overpeck MD. The burden of environmental tobacco smoke exposure on the respiratory health of children 2 months through 5 years of age in the United States: Third National Health and Nutrition Examination Survey, 1988 to 1994. *Pediatrics* 1998;101:-6.
- GILLIL2001** Gilliland FD, Li Y-F, Peters JM. Effects of maternal smoking during pregnancy and environmental tobacco smoke on asthma and wheezing in children. *Am J Respir Crit Care Med* 2001;163:429-36.
- GILLIL2002** Gilliland FD, Li Y-F, Dubeau L, Berhane K, Avol E, McConnell R, et al. Effects of glutathione S-transferase M1, maternal smoking during pregnancy, and environmental tobacco smoke on asthma and wheezing in children. *Am J Respir Crit Care Med* 2002;166:457-63.
- GOLD1993A** Gold DR, Rotnitzky A, Damokosh AI, Ware JH, Speizer FE, Ferris BG, Jr., et al. Race and gender differences in respiratory illness prevalence and their relationship to environmental exposures in children 7 to 14 years of age. *Am Rev Respir Dis* 1993;148:10-8.
- GOREN1986** Goren AI, Goldsmith JR. Epidemiology of childhood respiratory disease in Israel. *Eur J Epidemiol* 1986;2:139-50.

- GOREN1991** Goren AI, Hellman S. Passive smoking among schoolchildren in Israel. *Environ Health Perspect* 1991;96:203-11.
- GOREN1991A** Goren AI, Goldsmith JR, Hellmann S, Brenner S. Follow-up of schoolchildren in the vicinity of a coal-fired power plant in Israel. *Environ Health Perspect* 1991; 94:101-5.
- GOREN1993** Goren AI, Hellman S, Brenner S. Prevalence of respiratory symptoms and diseases in schoolchildren as related to ETS and other combustion products. In: *Proceedings of Indoor Air '93, Vol 1.* 1993;459-64.
- GOREN1995** Goren AI, Hellmann S. Respiratory conditions among schoolchildren and their relationship to environmental tobacco smoke and other combustion products. *Arch Environ Health* 1995;50:112-8.
- GOREN1997** Goren AI, Hellmann S. Changing prevalence of asthma among schoolchildren in Israel. *Eur Respir J* 1997;10:2279-84.
- GORTMA1982** Gortmaker SL, Walker DK, Jacobs FH, Ruch-Ross H. Parental smoking and the risk of childhood asthma. *Am J Public Health* 1982;72:574-9.
- GUPTA2001** Gupta D, Aggarwal AN, Kumar R, Jindal SK. Prevalence of bronchial asthma and association with environmental tobacco smoke exposure in adolescent school children in Chandigarh, North India. *J Asthma* 2001;38:501-7.
- GURKAN2002** Gürkan F, Davutoğlu M, Bilici M, Dağılı A, Haspolat K. Asthmatic children and risk factors at a province in the southeast of Turkey. *Allergol Immunopathol* 2002;30:25-9.
- HABY2001** Haby MM, Peat JK, Marks GB, Woolcock AJ, Leeder SR. Asthma in preschool children: prevalence and risk factors. *Thorax* 2001;56:589-95.
- HAJNAL1999** Hajnal BL, Braun-Fährländer C, Grize L, Gassner M, Varonier HS, Vuille JC, et al. Effect of environmental tobacco smoke exposure on respiratory symptoms in children. *Schweiz Med Wochenschr* 1999;129 :723-30.
- HENSCH1997** Hensch M, Frischer T, Pracht T, Spiekerkötter E, Karmaus W, Meinert R, et al. The internal dose of passive smoking at home depends on the size of the dwelling. *Environ Res* 1997;72:65-71.
- HIDE1994** Hide DW, Matthews S, Matthews L, Stevens M, Ridout S, Twiselton R, et al. Effect of allergen avoidance in infancy on allergic manifestations at age two years. *J Allergy Clin Immunol* 1994;93:842-6.
- HIDE1996** Hide DW, Matthews S, Tariq S, Arshad SH. Allergen avoidance in infancy and allergy at 4 years of age. *Allergy* 1996;51:89-93.
- HIGGIN1975** Higgins M, Keller J. Familial occurrence of chronic respiratory disease and familial resemblance in ventilatory capacity. *J Chronic Dis* 1975;28:239-51.
- HJERN2001** Hjern A, Hedberg A, Haglund B, Rosén M. Does tobacco smoke prevent atopic disorders? A study of two generations of Swedish residents. *Clin Exp Allergy* 2001;31:908-14.
- HORWOO1985** Horwood LJ, Fergusson DM, Shannon FT. Social and familial factors in the development of early childhood asthma. *Pediatrics* 1985;75:859-68.

- HOST1993** Høst AH, Duus T, Ibsen TB, Høst A. Hyppighed af astma hos skolebørn. Er sygdommen underdiagnosticeret? (Asthma prevalence in schoolchildren. Is the disease underdiagnosed?). *Ugeskr Laeger* 1993;155:3978-81.
- HU1997B** Hu FB, Persky V, Flay BR, Zelli A, Cooksey J, Richardson J. Prevalence of asthma and wheezing in public schoolchildren: association with maternal smoking during pregnancy. *Ann Allergy Asthma Immunol* 1997;79:80-4.
- HU1997C** Hu FB, Persky V, Flay BR, Richardson J. An epidemiological study of asthma prevalence and related factors among young adults. *J Asthma* 1997;34:67-76.
- HUGHES1995** Hughes CH, Baumer JH. Moving house: a risk factor for the development of childhood asthma? *BMJ (Clinical Research ed)* 1995;311:1069-70.
- INFANT1993** Infante-Rivard C. Childhood asthma and indoor environmental risk factors. *Am J Epidemiol* 1993;137:834-44.
- INFANT1999** Infante-Rivard C, Gautrin D, Malo J-L, Suissa S. Maternal smoking and childhood asthma. *Am J Epidemiol* 1999;150:528-31.
- JAAKKO2001A** Jaakkola JJK, Nafstad P, Magnus P. Environmental tobacco smoke, parental atopy, and childhood asthma. *Environ Health Perspect* 2001;109:579-82.
- JENKIN1993** Jenkins MA, Hopper JL, Flander LB, Carlin JB, Giles GG. The associations between childhood asthma and atopy, and parental asthma, hay fever and smoking. *Paediatr Perinat Epidemiol* 1993;7:67-76.
- JONES1999B** Jones RCM, Hughes CR, Wright D, Baumer JH. Early house moves, indoor air, heating methods and asthma. *Respir Med* 1999;93:919-22.
- KALYON1994** Kalyoncu AF, Selçuk ZT, Karakoca Y, Emri AS, Çöplü L, Şahin AA, et al. Prevalence of childhood asthma and allergic diseases in Ankara, Turkey. *Allergy* 1994;49:485-8.
- KALYON1999** Kalyoncu AF, Selçuk ZT, Enünlü T, Demir AU, Çöplü L, Şahin AA, et al. Prevalence of asthma and allergic diseases in primary school children in Ankara, Turkey: two cross-sectional studies, five years apart. *Pediatr Allergy Immunol* 1999;10:261-5.
- KAPLAN1985** Kaplan BA, Mascie-Taylor CGN. Biosocial factors in the epidemiology of childhood asthma in a British national sample. *J Epidemiol Community Health* 1985;39:152-6.
- KARUNA2001** Karunasekera KAW, Jayasinghe JACT, Alwis LWGR. Risk factors of childhood asthma: a Sri Lankan study. *J Trop Pediatr* 2001;47:142-5.
- KAY1995** Kay J, Mortimer MJ, Jaron AG. Do both paternal and maternal smoking influence the prevalence of childhood asthma? A study into the prevalence of asthma in children and the effects of parental smoking. *J Asthma* 1995;32:47-55.
- KEARNE1998** Kearney PJ, Kearney PM. The prevalence of asthma in schoolboys of travellers families. *Ir Med J* 1998;91:203-6.
- KELLY1995** Kelly YJ, Brabin BJ, Milligan P, Heaf DP, Reid J, Pearson MG. Maternal asthma, premature birth, and the risk of respiratory morbidity in schoolchildren in Merseyside. *Thorax* 1995;50:525-30.

- KENDIR1998** Kendirli GS, Altintas DU, Alparslan N, Yurdakul Z, Bolat B. Prevalence of childhood allergic diseases in Adana, Southern Turkey. *Eur J Epidemiol* 1998;14:347-50.
- KERSHA1987** Kershaw CR. Passive smoking, potential atopy and asthma in the first five years. *J R Soc Med* 1987;80:683-8.
- KIVITY2001** Kivity S, Sade K, Abu-Arish F, Lerman Y, Kivity S. Epidemiology of bronchial asthma and chronic rhinitis in schoolchildren of different ethnic origins from two neighboring towns in Israel. *Pediatr Pulmonol* 2001;32:217-21.
- KNIGHT1998** Knight JM, Eliopoulos C, Klein J, Greenwald M, Koren G. Pharmacokinetic predisposition to nicotine from environmental tobacco smoke: a risk factor for pediatric asthma. *J Asthma* 1998;35:113-7.
- KUEHR1992** Kuehr J, Frischer T, Karmaus W, Meinert R, Barth R, Urbanek R. Clinical atopy and associated factors in primary-school pupils. *Allergy* 1992;47:650-5.
- KUEHR1992A** Kuehr J, Frischer T, Karmaus W, Meinert R, Barth R, Hermann-Kunz E, et al. Early childhood risk factors for sensitization at school age. *J Allergy Clin Immunol* 1992;90:358-63.
- KUEHR1998** Kuehr J, Frischer T, Karmaus W, Meinert R, Pracht T, Lehnert W. Cotinine excretion as a predictor of peak flow variability. *Am J Respir Crit Care Med* 1998;158:60-4.
- KUHR1991** Kühr J, Hendel-Kramer A, Karmaus W, Moseler M, Weiss K, Stephan V, et al. Luftschadstoffbelastung und Asthma bronchiale bei Schulkindern. (Air pollutant burden and bronchial asthma in school children). *Soz Praventivmed* 1991;36:67-73.
- KULIG1998** Kulig M, Bergmann R, Tacke U, Wahn U, Guggenmoos-Holzmann I. Long-lasting sensitization to food during the first two years precedes allergic airway disease. *Pediatr Allergy Immunol* 1998;9:61-7.
- LAM1998** Lam TH, Chung SF, Betson CL, Wong CM, Hedley AJ. Respiratory symptoms due to active and passive smoking in junior secondary school students in Hong Kong. *Int J Epidemiol* 1998;27:41-8.
- LAM1999** Lam TH, Hedley AJ, Chung SF, Macfarlane DJ. Passive smoking and respiratory symptoms in primary school children in Hong Kong. *Hum Toxicol* 1999;18:218-23.
- LANPHE2001** Lanphear BP, Aline A, Auinger P, Weitzman M, Byrd RS. Residential exposures associated with asthma in US children. *Pediatrics* 2001;107:505-11.
- LAU1995** Lau YL, Karlberg J, Yeung CY. Prevalence of and factors associated with childhood asthma in Hong Kong. *Acta Paediatr* 1995;84:820-2.
- LAU2002** Lau S, Nickel R, Niggemann B, Grüber C, Sommerfeld C, Illi S, et al. The development of childhood asthma: lessons from the German Multicentre Allergy Study (MAS). *Paediatr Respir Rev* 2002;3:265-72.
- LEBOWI1976** Lebowitz MD, Burrows B. Respiratory symptoms related to smoking habits of family adults. *Chest* 1976;69:48-50.
- LEBOWI1992** Lebowitz MD, Sherrill D, Holberg CJ. Effects of passive smoking on lung growth in children. *Pediatr Pulmonol* 1992;12:37-42.

- LEE2001A** Lee SI, Shin MH, Lee HB, Lee JS, Son BK, Koh YY, *et al.* Prevalences of symptoms of asthma and other allergic diseases in Korean children: a nationwide questionnaire survey. *J Korean Med Sci* 2001;16:155-64.
- LEEDER1976** Leeder SR, Corkhill RT, Irwig LM, Holland WW, Colley JRT. Influence of family factors on asthma and wheezing during the first five years of life. *Br J Prev Soc Med* 1976;30:213-8.
- LEEDER1976A** Leeder SR, Corkhill R, Irwig LM, Holland WW, Colley JRT. Influence of family factors on the incidence of lower respiratory illness during the first year of life. *Br J Prev Soc Med* 1976;30:203-12.
- LEEN1994** Leen MG, O'Connor T, Kelleher C, Mitchell EG, Loftus BG. Home environment and childhood asthma. *Ir Med J* 1994;87:142-3.
- LEROUX1995** Le Roux P, Bourderont D, Loisel I, Collet A, Bouloche J, Briquet MT, *et al.* Épidémiologie de l'asthme infantile dans la région du Havre. (Epidemiology of infantile asthma in the Le Havre region). *Arch Pediatr* 1995;2:643-9.
- LEWIS1996** Lewis S, Butland B, Strachan D, Bynner J, Richards D, Butler N, *et al.* Study of the aetiology of wheezing illness at age 16 in two national British birth cohorts. *Thorax* 1996;51:670-6.
- LI2000** Li Y-F, Gilliland FD, Berhane K, McConnell R, Gauderman WJ, Rappaport EB, *et al.* Effects of *in utero* and environmental tobacco smoke exposure on lung function in boys and girls with and without asthma. *Am J Respir Crit Care Med* 2000;162:2097-104.
- LILIEN1990** Lilienfeld DE, Ehrlich RI, Kattan M, Saltzber DS, Grimm KT, Landrigan PJ. Passive smoking and urinary cotinine levels in acute and non-acute asthmatics. In: *Abstracts of International Epidemiological Association Scientific Meeting, Volume 12*. Los Angeles: 1990;78 (abstract number 332). 90024-1772.
- LILLJE1997** Lilljeqvist A-C, Faleide AO, Watten RG. Low birthweight, environmental tobacco smoke, and air pollution: risk factors for childhood asthma? *Pediatr Asthma Allergy Immunol* 1997;11:95-102.
- LINDFO1994** Lindfors A, Hedlin G, Rietz H, Nordvall L, Wickman M. Indoor risk factors in young children with asthma [Abstract]. *J Allergy Clin Immunol* 1994;93:290.
- LINDFO1995** Lindfors A, Wickman M, Hedlin G, Pershagen G, Rietz H, Nordvall SL. Indoor environmental risk factors in young asthmatics: a case-control study. *Arch Dis Child* 1995;73:408-12.
- LIS1997** Lis G, Pietrzyk JJ. Wpływ zanieczyszczenia powietrza na występowanie astmy oskrzelowej u dzieci szkolnych z Krakowa (Association between air pollution and asthma prevalence in schoolchildren from Krakow). *Pneumonol Alergol Pol* 1997;65:611-20.
- LISTER1998** Lister SM, Jorm LR. Parental smoking and respiratory illnesses in Australian children aged 0-4 years: ABS 1989-90 National Health Survey results. *Aust NZ J Public Health* 1998;22:781-6.
- LOPEZC2001** López Campos C, Muñoz Hernández MA, López Campos JE, Carrillo Lucero J, Rincón Castañeda CB, Cairo Cueto SM. Factores de riesgo para asma (Asthma risk factors). *Rev Alerg Mex* 2001;48:103-6.

- LUTTMA1993** Luttmann H, Gromping U, Kreienbrock L, Treiber-Klotzer C, Wichmann HE. Kohortenstudie zu Atemwegserkrankungen und lungenfunktion bei schulkindern in Südwestdeutschland. Teil 1: Studiendesign, prävalenz und inzidenz von atemwegserkrankungen (Cohort study on respiratory diseases and lung function in schoolchildren in southwest Germany. Part 1: Study design, prevalence and incidence of respiratory diseases). *Zentralbl Hyg Umweltmed* 1993;194:525-39.
- MAIER1997** Maier WC, Arrighi HM, Morray B, Llewellyn C, Redding GJ. Indoor risk factors for asthma and wheezing among Seattle school children. *Environ Health Perspect* 1997;105:208-14.
- MANNIN1998A** Mannino DM. Health effects of environmental tobacco smoke exposure among children in the US: results from NHANES III [Abstract]. *Epidemiology* 1998;9:S97.
- MANNIN2001** Mannino DM, Moorman JE, Kingsley B, Rose D, Repace J. Health effects related to environmental tobacco smoke exposure in children in the United States. Data from the Third National Health and Nutrition Examination Survey. *Arch Pediatr Adolesc Med* 2001;155:36-41.
- MANNIN2002A** Mannino DM, Homa DM, Redd SC. Involuntary smoking and asthma severity in children: data from the Third National Health and Nutrition Examination Survey. *Chest* 2002;122:409-15.
- MARTIN1992** Martinez FD, Cline M, Burrows B. Increased incidence of asthma in children of smoking mothers. *Pediatrics* 1992;89:21-6.
- MATTES1999** Mattes J, Karmaus W, van's Gravesande K.S., Moseler M, Forster J, Kuehr J. Pulmonary function in children of school age is related to the number of siblings in their family. *Pediatr Pulmonol* 1999;28:414-7.
- MCCONN1986** McConnochie KM, Roghmann KJ. Breast feeding and maternal smoking as predictors of wheezing in children age 6 to 10 years. *Pediatr Pulmonol* 1986;2:260-8.
- MCCONN2002** McConnell R, Berhane K, Gilliland F, Islam T, Gauderman WJ, London SJ, et al. Indoor risk factors for asthma in a prospective study of adolescents. *Epidemiology* 2002;13:288-95.
- MCKEEV2001** McKeever TM, Lewis SA, Smith C, Collins J, Heatlie H, Frischer M, et al. Siblings, multiple births, and the incidence of allergic disease: a birth cohort study using the West Midlands general practice research database. *Thorax* 2001;56:758-62.
- MEINER1994** Meinert R, Frischer T, Kuehr J. The "healthy passive smoker": relationship between bronchial hyper-reactivity in school children and maternal smoking. *J Epidemiol Community Health* 1994;48:325-6.
- MELIA1981** Melia RJW, Florey CdV, Swan AV. Respiratory illness in British schoolchildren and atmospheric smoke and sulphur dioxide 1973-7. I: Cross-sectional findings. *J Epidemiol Community Health* 1981;35:161-7.
- MELSON2001** Melsom T, Brinch L, Hessen J, Schei MA, Kolstrup N, Jacobsen BK, et al. Asthma and indoor environment in Nepal. *Thorax* 2001;56:477-81.
- MEMON1993** Memon IM, Loftus BG. Spectrum of childhood asthma in Galway. *Ir Med J* 1993;86:194-5.
- MOHAME1995** Mohamed N, Ng'ang'a L, Odhiambo J, Nyamwaya J, Menzies R. Home environment and asthma in Kenyan schoolchildren: a case-control study. *Thorax* 1995;50:74-8.

- MONTEF2002** Montefort S, Muscat HA, Caruana S, Lenicker H. Allergic conditions in 5-8-year-old Maltese schoolchildren: prevalence, severity, and associated risk factors (ISAAC). *Pediatr Allergy Immunol* 2002;13:98-104.
- MOUSSA1996** Moussa MAA, Skaik MB, Yaghy OY, Salwanes SB, Bin-Othman SA. Factors associated with asthma in school children. *Eur J Epidemiol* 1996;12:583-6.
- MOYER1993** Moyer DB. Environmental tobacco smoke as a risk factor for asthma in inner city children [Letter]. *J Pediatr* 1993;123:171.
- MOYES1995** Moyes CD, Waldon J, Ramadas D, Crane J, Pearce N. Respiratory symptoms and environmental factors in schoolchildren in the Bay of Plenty. *N Z Med J* 1995;108:358-61.
- MUMCUO1994** Mumcuoglu KY, Abed Y, Armenios B, Shaheen S, Jacobs J, Bar-Sela S, et al. Asthma in Gaza refugee camp children and its relationship with house dust mites. *Ann Allergy* 1994;72:163-6.
- MURRAY1989** Murray AB, Morrison BJ. Passive smoking by asthmatics: its greater effect on boys than on girls and on older than on younger children. *Pediatrics* 1989;84:451-9.
- MURRAY1990A** Murray AB, Morrison BJ. It is children with atopic dermatitis who develop asthma more frequently if the mother smokes. *J Allergy Clin Immunol* 1990;86:732-9.
- MURRAY1992** Murray AB, Morrison BJ. Effect of passive smoking on asthmatic children who have and who have not had atopic dermatitis. *Chest* 1992;101:16-8.
- MURRAY1993** Murray AB, Morrison BJ. The decrease in severity of asthma in children of parents who smoke since the parents have been exposing them to less cigarette smoke. *J Allergy Clin Immunol* 1993;91:102-10.
- NAFSTA1997A** Nafstad P, Kongerud J, Botten G, Hagen JA, Jaakkola JJK. The role of passive smoking in the development of bronchial obstruction during the first 2 years of life. *Epidemiology* 1997;8:293-7.
- NEAS1994** Neas LM, Dockery DW, Ware JH, Spengler JD, Ferris BG, Jr., Speizer FE. Concentration of indoor particulate matter as a determinant of respiratory health in children. *Am J Epidemiol* 1994;139:1088-99.
- NEUSPI1989** Neuspiel DR, Rush D, Butler NR, Golding J, Bijur PE, Kurzon M. Parental smoking and post-infancy wheezing in children: A prospective cohort study. *Am J Public Health* 1989;79:168-71.
- NICOLA1998** Nicolai T, Illi S, von Mutius E. Effect of dampness at home in childhood on bronchial hypereactivity in adolescence. *Thorax* 1998;53:1035-40.
- NILSSO1999** Nilsson L, Castor O, Löfman O, Magnusson A, Kjellman NI-M. Allergic disease in teenagers in relation to urban or rural residence at various stages of childhood. *Allergy* 1999;54:716-21. Erratum appears in Allergy 1999;54:1223.
- NITTA1996** Nitta H, Nakai S, Kurokawa Y, Honda Y, Ono M, Tanaka T, et al. Respiratory symptoms sensitization to aeroallergen and housing characteristics among school children. *Indoor Air* 1996;1:197-200.
- NYSTAD1999** Nystad W, Skrondal A, Magnus P. Day care attendance, recurrent respiratory tract infections and asthma. *Int J Epidemiol* 1999;28:882-7.

- OCONNE1974** O'Connell EJ, Logan GB. Parental smoking in childhood asthma. *Ann Allergy* 1974; **32**:142-5.
- OCONNO1987** O'Connor GT, Weiss ST, Tager IB, Speizer FE. The effect of passive smoking on pulmonary function and nonspecific bronchial responsiveness in a population-based sample of children and young adults. *Am Rev Respir Dis* 1987; **135**:800-4.
- ODDY1999** Oddy WH, Holt PG, Sly PD, Read AW, Landau LI, Stanley FJ, et al. Association between breast feeding and asthma in 6 year old children: findings of a prospective birth cohort study. *Br Med J* 1999; **319**:815-9.
- OHARA2002** Ohara Y, Ohrui T, Morikawa T, Sasaki H. Parental attitudes towards passive smoking in Japan [Letter]. *Lancet* 2002; **359**:1159.
- OLIVET1996** Oliveti JF, Kercsmar CM, Redline S. Pre- and perinatal risk factors for asthma in inner city African-American children. *Am J Epidemiol* 1996; **143**:570-7.
- PALMIE1990** Palmieri M, Longobardi G, Napolitano G, Simonetti DML. Parental smoking and asthma in childhood. *Eur J Pediatr* 1990; **149**:738-40.
- PERZAN2002** Perzanowski MS, Rönmark E, Platts-Mills TAE, Lundbäck B. Effect of cat and dog ownership on sensitization and development of asthma among preteenage children. *Am J Respir Crit Care Med* 2002; **166**:696-702.
- PETERS1996** Peters J, Hedley AJ, Wong CM, Lam TH, Ong SG, Liu J, et al. Effects of an ambient air pollution intervention and environmental tobacco smoke on children's respiratory health in Hong Kong. *Int J Epidemiol* 1996; **25**:821-8.
- PETERS1999** Peters JM, Avol E, Navidi W, London SJ, Gauderman WJ, Lurmann F, et al. A study of twelve southern California communities with differing levels and types of air pollution. I. Prevalence of respiratory morbidity. *Am J Respir Crit Care Med* 1999; **159**:760-7.
- PIC2002** Pic D, Aublet-Cuvelier B, Laquet A, Glanddier P, Labbé A. Prévalence de l'asthme chez l'enfant en Auvergne: une région préservée? (Prevalence of asthma in children in Auvergne: a safe region?). *Arch Pediatr* 2002; **9**:26-31.
- PLATTS1993** Platts-Mills TAE, Call RS. Environmental tobacco smoke as a risk factor for asthma in inner city children [Letter]. *J Pediatr* 1993; **123**:171.
- POKHAR2001** Pokharel PK, Kabra SK, Kapoor SK, Pandey RM. Risk factors associated with bronchial asthma in school going children of rural Haryana. *Indian J Pediatr* 2001; **68**:103-6.
- PONSON2000** Ponsonby A-L, Couper D, Dwyer T, Carmichael A, Kemp A, Cochrane J. The relation between infant indoor environment and subsequent asthma. *Epidemiology* 2000; **11**:128-35.
- RASANE2000** Räsänen M, Kaprio J, Laitinen T, Winter T, Koskenvuo M, Laitinen LA. Perinatal risk factors for asthma in Finnish adolescent twins. *Thorax* 2000; **55**:25-31.
- RATAGE2000** Ratageri VH, Kabra SK, Dwivedi SN, Seth V. Factors associated with severe asthma. *Indian Pediatr* 2000; **37**:1072-82.
- RENNIE2002** Rennie DC, Dosman J, Senthilselvan A. Respiratory symptoms and asthma in two farming populations: a comparison of Hutterite and non-Hutterite children. *Can Respir J* 2002; **9**:313-8.

- RIBEIR2002** Ribeiro SA, Furuyama T, Schenkman S, de Brito Jardim JR. Atopy, passive smoking, respiratory infections and asthma among children from kindergarten and elementary school. *Sao Paulo Med J* 2002;120:109-12.
- RODRIG2002** Rodriguez MA, Winkleby MA, Ahn D, Sundquist J, Kraemer HC. Identification of population subgroups of children and adolescents with high asthma prevalence. *Arch Pediatr Adolesc Med* 2002;156:269-75.
- RONCHE1982** Ronchetti R, Martinez F, Criscione S, Macri F, Tramutoli GM, Antognoni G, et al. Influenza di fattori familiari e ambientali sulla prevalenza della sindrome asmatica e della sindrome bronchitica del bambino. (Studio epidemiologico su 2500 scolari romani) Influence of familial and environmental factors on the prevalence of asthmatic and bronchitic syndromes of children. (Epidemiological survey on 2500 roman pupils). *Riv Ital Pediatr* 1982;8:755-65.
- RONCHE2001** Ronchetti R, Villa MP, Barreto M, Rota R, Pagani J, Mortella S, et al. Is the increase in childhood asthma coming to an end? Findings from three surveys of schoolchildren in Rome, Italy. *Eur Respir J* 2001;17:881-6.
- RONCHE2002** Ronchetti R, Villa MP, Matricardi PM, La Grutta S, Barreto M, Pagani J, et al. Association of asthma with extra-respiratory symptoms in schoolchildren: two cross-sectional studies 6 years apart. *Pediatr Allergy Immunol* 2002;13:113-8.
- RONMAR1998** Rönmark E, Lundbäck B, Jönsson E, Platts-Mills T. Asthma, type-1 allergy and related conditions in 7- and 8-year-old children in Northern Sweden: prevalence rates and risk factor pattern. *Respir Med* 1998;92:316-24.
- RONMAR1999** Rönmark E, Jönsson E, Platts-Mills T, Lundbäck B. Different pattern of risk factors for atopic and nonatopic asthma among children - report from the Obstructive Lung Disease in Northern Sweden Study. *Allergy* 1999;54:926-35.
- RONMAR2001** Rönmark E, Jönsson E, Platts-Mills T, Lundbäck B. Incidence and remission of asthma in schoolchildren: report from the Obstructive Lung Disease in Northern Sweden studies. *Pediatrics* 2001;107:e37.
- RONMAR2002** Rönmark E, Perzanowski M, Platts-Mills T, Lundbäck B. Incidence rates and risk factors for asthma among school children: a 2-year follow-up report from the Obstructive Lung Disease in Northern Sweden (OLIN) studies. *Respir Med* 2002;96:1006-13.
- ROSASV2002** Rosas Vargas MA, González Reyes M, del Rio Navarro BE, Avila Castañón L, Velázquez Armenta Y, Sienra Monge JJ. Sensibilización con alergenos y asma en niños de uno a tres años de edad. (Allergen sensitization and asthma in children from 1 to 3 years of age). *Rev Alerg Mex* 2002;49:171-5.
- RUDNIK1985** Rudnik J, Herman SM, Pisiewicz K. Respiratory symptoms in a long-term epidemiological study on asthma in children. In: Rudnik J, Kurzawa R, editors. *Paediatric respiratory diseases*. Rabka: NRIMCh, 1985;31-41.
- RUSCON1999** Rusconi F, Galassi C, Corbo GM, Forastiere F, Biggeri A, Ciccone G, et al. Risk factors for early, persistent, and late-onset wheezing in young children. *Am J Respir Dis* 1999;160:1617-922.
- SANZOR1990** Sanz Ortega J, Martorell Aragones A, Alvarez Angel V, Bermudez Edo JD, Saiz Rodriguez R, Fuertes Fortea A, et al. Estudio epidemiológico de los factores de riesgo asociados con el desarrollo de patología respiratoria en la población infantil (Epidemiologic of risk factors associated with the development of respiratory pathology in children). *An Esp Pediatr* 1990;32:389-98.

- SARRAZ1997** Sarrazola Sanjuan DM, Salas Ramírez M, Segura Méndez NH, Medrano S, Cairo Cueto SM. Exposición a contaminantes y alergenos en el niño asmático en comparación con el niño sano. (Exposure to pollutants and allergens in the asthmatic child compared with the healthy child). *Rev Alerg Mex* 1997;44:13-6.
- SCHENK1983** Schenker MB, Samet JM, Speizer FE. Risk factors for childhood respiratory disease: the effect of host factors and home environmental exposures. *Am Rev Respir Dis* 1983;128:1038-43.
- SCHMIT1993** Schmitzberger R, Rhomberg K, Büchele H, Puchegger R, Smitsberger-Natzmer D, Kemmler G, et al. Effects of air pollution on the respiratory tract of children. *Pediatr Pulmonol* 1993;15:68-74.
- SELCUK1997** Selçuk ZT, Çaglar T, Enünlü T, Topal T. The prevalence of allergic diseases in primary school children in Edirne, Turkey. *Clin Exp Allergy* 1997;27:262-9.
- SENNHA1992** Sennhauser FH, Güntert BJ. Prävalenz des Asthma bronchiale im Kindesalter in der Schweiz: die Bedeutung von Symptomatik und Diagnose. (Prevalence of bronchial asthma in childhood in Switzerland: significance of symptoms and diagnosis). *Schweiz Med Wochenschr* 1992;122:189-93.
- SHAMSS1999** Shamssain MH, Shamsian N. Prevalence and severity of asthma, rhinitis, and atopic eczema: the north east study. *Arch Dis Child* 1999;81:313-7.
- SHERMA1990** Sherman CB, Tosteson TD, Tager IB, Speizer FE, Weiss ST. Early childhood predictors of asthma. *Am J Epidemiol* 1990;132:83-95.
- SHOHAT2002** Shohat T, Green MS, Davidson Y, Livine I, Tamir R, Garty B-Z. Differences in the prevalence of asthma and current wheeze between Jews and Arabs: results from a national survey of schoolchildren in Israel. *Ann Allergy Asthma Immunol* 2002;89:386-92.
- SIDRIA1997** SIDRIA (Italian Studies on Respiratory Disorders in Childhood and the Environment). Asthma and respiratory symptoms in 6-7 yr old Italian children: gender, latitude, urbanization and socioeconomic factors. *Eur Respir J* 1997;10:1780-6.
- SIDRIA1998** SIDRIA (Italian Studies on Respiratory Disorders in Childhood and the Environment). Fumo dei genitori, asma e sibili respiratori in bambini ed adolescenti. I risultati di SIDRIA. (Parental smoking, asthma and wheeze among children and adolescents. Results from SIDRIA). *Epidemiol Prev* 1998;22:146-54.
- SIGURS1995** Sigurs N, Bjarnason R, Sigurbergsson F, Kjellman B, Björkstén B. Asthma and immunoglobulin E antibodies after respiratory syncytial virus bronchiolitis: a prospective cohort study with matched controls. *Pediatrics* 1995;95:500-5.
- SOMERV1988** Somerville SM, Rona RJ, Chinn S. Passive smoking and respiratory conditions in primary school children. *J Epidemiol Community Health* 1988;42:105-10.
- SOTOQU1994** Soto-Quiros M, Bustamante M, Gutierrez I, Hanson LÅ, Strannegård I-L, Karlberg J. The prevalence of childhood asthma in Costa Rica. *Clin Exp Allergy* 1994;24:1130-6.
- SOYSET1995** Søyseth V, Kongerud J, Boe J. Postnatal maternal smoking increases the prevalence of asthma but not of bronchial hyperresponsiveness or atopy in their children. *Chest* 1995;107:389-94.
- SPEIZE1989** Speizer FE. Studies of acid aerosols in six cities and in a new multi-city investigation: design issues. *Environ Health Perspect* 1989;79:61-7.

- SPIEKE1994** Spiekerkötter EF, Henschen M, Pracht T, Forster J, Frischer T, Kuehr J. Relationship between urinary cotinine, passive smoke exposure and respiratory health in children [Abstract]. *Pediatr Res* 1994;36:216.
- SQUILL1997** Squillace SP, Sporik RB, Rakes G, Couture N, Lawrence A, Merriam S, et al. Sensitization to dust mites as a dominant risk factor for asthma among adolescents living in Central Virginia. Multiple regression analysis of a population based study. *Am J Respir Crit Care Med* 1997;156:1760-4.
- STANHO1979** Stanhope JM, Rees RO, Mangan AJ. Asthma and wheeze in New Zealand adolescents. *N Z Med J* 1979;90:279-82.
- STAZI2002** Stazi M-A, Sampogna F, Montagano G, Grandolfo ME, Couilliot M-F, Annesi-maesano I. Early life factors related to clinical manifestations of atopic disease but not to skin-prick test positivity in young children. *Pediatr Allergy Immunol* 2002;13:105-12.
- STERN1987** Stern B, Raizenne M, Burnett R, Kearney J. Respiratory effects of early childhood exposure to passive smoke. In: *Proceedings of the 4th International Conference on Indoor Air Quality and Climate*. Berlin: Institute for Water, Soil and Air Hygiene, 1987;22-8.
- STERN1989** Stern B, Raizenne M, Burnett R. Respiratory effects of early childhood exposure to passive smoke. *Environ Int* 1989;15:29-34.
- STERN1989A** Stern B, Jones L, Raizenne M, Burnett R, Meranger JC, Franklin CA. Respiratory health effects associated with ambient sulfates and ozone in two rural Canadian communities. *Environ Res* 1989;49:20-39.
- STODDA1995** Stoddard JJ, Miller T. Impact of parental smoking on the prevalence of wheezing respiratory illness in children. *Am J Epidemiol* 1995;141:96-102.
- STRACH1988** Strachan DP, Anderson HR, Bland JM, Peckham C. Asthma as a link between chest illness in childhood and chronic cough and phlegm in young adults. *BMJ (Clinical Research ed)* 1988;296:890-3.
- STRACH1995A** Strachan DP, Carey IM. Home environment and severe asthma in adolescence: a population based case-control study. *BMJ (Clinical Research ed)* 1995;311:1053-6.
- STRACH1995B** Strachan DP. Epidemiology. In: Silverman M, editor. *Childhood asthma and other wheezing disorders*. London: Chapman & Hall, 1995;7-31.
- STRACH1996** Strachan DP, Butland BK, Anderson HR. Incidence and prognosis of asthma and wheezing illness from early childhood to age 33 in a national British cohort. *BMJ (Clinical Research ed)* 1996;312:1195-9.
- TAGER1979** Tager IB, Weiss ST, Rosner B, Speizer FE. Effect of parental cigarette smoking on the pulmonary function of children. *Am J Epidemiol* 1979;110:15-26.
- TARIQ1995** Tariq SM, Matthews S, Stevens M, Hakim EA, Hide DW. Asthma, atopy and passive smoking in a cohort of children aged four years [Abstract]. *Eur Respir J* 1995;8(Suppl 19):217s.
- TARIQ1998** Tariq SM, Matthews SM, Hakim EA, Stevens M, Arshad SH, Hide DW. The prevalence of and risk factors for atopy in early childhood: a whole population birth cohort study. *J Allergy Clin Immunol* 1998;105:587-93.

- TARIQ2000** Tariq SM, Hakim EA, Matthews SM, Arshad SH. Influence of smoking on asthmatic symptoms and allergen sensitisation in early childhood. *Postgrad Med J* 2000;76:694-9.
- TAUSSI1989** Taussig LM, Wright AL, Morgan WJ, Harrison HR, Ray CG. The Tucson children's respiratory study I. design and implementation. *Am J Epidemiol* 1989;129:1219-31.
- TAYLOR1983** Taylor B, Wadsworth J, Golding J, Butler N. Breast feeding, eczema, and hayfever. *J Epidemiol Community Health* 1983;37:95-9.
- TIMONE1995** Timonen KL, Pekkanen J, Korppi M, Vahteristo M, Salonen RO. Prevalence and characteristics of children with chronic respiratory symptoms in eastern Finland. *Eur Respir J* 1995;8:1155-60.
- TOMINA1985** Tominaga S, Itoh K. Relationship between parental smoking and respiratory diseases of three year old children. *Tokai J Exp Clin Med* 1985;10:395-9.
- TSIMOY1987** Tsimoyianis GV, Jacobson MS, Feldman JG, Antonio-Santiago MT, Clutario BC, Nussbaum M, et al. Reduction in pulmonary function and increased frequency of cough associated with passive smoking in teenage athletes. *Pediatrics* 1987;80:32-6.
- ULRIK1996** Ulrik CS, Backer V, Hesse B, Dirksen A. Risk factors for development of asthma in children and adolescents: findings from a longitudinal population study. *Respir Med* 1996;90:623-30.
- ULRIK1998** Ulrik CS, Backer V, Hesse B, Dirksen A. Risikofaktorer for udvikling af astma hos børn og unge. Resultater fra en longitudinell populationsundersøgelse. (Risk factors for the development of asthma in children and adolescents. Results of a longitudinal study). *Ugeskr Laeger* 1998;160:2243-8.
- VARELA2001** Varela Delgado AL, Segura Méndez NH, Salas Ramírez M., Espínola Reyna G, Torres Salazar AB. Correlación clínica y espirométrica con alérgenos intradomiciliarios y con contaminantes. (Clinical and spirometric correlation with home allergens and with pollutants). *Rev Alerg Mex* 2001;48:107-9.
- VAVILI2000** Vavilin VA, Chasovnikova OB, Lyakhovich VV, Gavalov SM, Ryabova OA. Genetic polymorphisms of glutathione S-transferase M1 and T1 in asthmatic children. *Vopr Med Khim* 2000;46:388-97.
- VAVILI2002** Vavilin VA, Makarova SI, Liakhovich VV, Gavalov SM. Assotsiatsiia polimorfnykh genov fermentov biotransformatsii ksenobiotikov s predraspolozhennost'iu k bronkhial'noi astme u detei s nasledstvennoi otiagoshchennost'iu i bez takovoi. (Polymorphic genes of xenobiotic-metabolizing enzymes associated with predisposition to bronchial asthma in hereditarily burdened and nonburdened children). *Genetika* 2002;38:539-45.
- VENNER2001** Venners SA, Wang X, Chen C, Wang B, Ni J, Jin Y, et al. Exposure-response relationship between paternal smoking and children's pulmonary function. *Am J Respir Crit Care Med* 2001;164:973-6.
- VERHOE1992** Verhoeff AP, van Strien R, Brunekreef B, van Wijnen JH. Reported frequency of allergen avoidance measures in the homes of children with chronic respiratory symptoms and asthma [Abstract]. *Am Rev Respir Dis* 1992;145(4 pt 2):533A.
- VOLKME1995** Volkmer RE, Ruffin RE, Wigg NR, Davies N. The prevalence of respiratory symptoms in South Australian pre-school children. II. Factors associated with indoor air quality. *J Paediatr Child Health* 1995;31:116-20.

- VOLKME1995A** Volkmer RE, Ruffin RE, Wigg NR, Davies N. The prevalence of respiratory symptoms in South Australian preschool children. I. Geographic location. *J Paediatr Child Health* 1995;31:112-5.
- VONMAF2001** Von Maffei J, Beckett WS, Belanger K, Triche E, Zhang HP, Machung JF, et al. Risk factors for asthma prevalence among urban and nonurban African American children. *J Asthma* 2001;38:555-64.
- WANG1994A** Wang X, Wypij D, Gold DR, Speizer FE, Ware JH, Ferris BG, Jr., et al. A longitudinal study of the effects of parental smoking on pulmonary function in children 6-18 years. *Am J Respir Crit Care Med* 1994;149:1420-5.
- WANG1999B** Wang T-N, Ko Y-C, Chao Y-Y, Huang C-C, Lin R-S. Association between indoor and outdoor air pollution and adolescent asthma from 1995 to 1996 in Taiwan. *Environ Res* 1999;81:239-47.
- WARE1984** Ware JH, Dockery DW, Spiro A, III, Speizer FE, Ferris BG, Jr. Passive smoking, gas cooking and respiratory health of children living in six cities. *Am Rev Respir Dis* 1984;129:366-74.
- WARTEN1994** Wartenberg D, Ehrlich R, Lilienfeld D. Environmental tobacco smoke and childhood asthma: comparing exposure metrics using probability plots. *Environ Res* 1994;64:122-35.
- WEISS1980** Weiss ST, Tager IB, Speizer FE, Rosner B. Persistent wheeze: Its relation to respiratory illness, cigarette smoking, and level of pulmonary function in a population sample of children. *Am Rev Respir Dis* 1980;122:697-707.
- WEITZM1990** Weitzman M, Gortmaker S, Walker DK, Sobol A. Maternal smoking and childhood asthma. *Pediatrics* 1990;85:505-11.
- WEITZM1990A** Weitzman M, Gortmaker S, Sobol A. Racial, social, and environmental risks for childhood asthma. *Am J Dis Child* 1990;144:1189-94.
- WILLER1991** Willers S, Svenonius E, Skarping G. Passive smoking and childhood asthma. Urinary cotinine levels in children with asthma and in referents. *Allergy* 1991;46:330-4.
- WILLER2000** Willers S, Axmon A, Feyerabend C, Nielsen J, Skarping G, Skerfving S. Assessment of environmental tobacco smoke exposure in children with asthmatic symptoms by questionnaire and cotinine concentrations in plasma, saliva, and urine. *J Clin Epidemiol* 2000;53:715-21.
- WITHER1998** Withers NJ, Low L, Holgate ST, Clough JB. The natural history of respiratory symptoms in a cohort of adolescents. *Am J Respir Crit Care Med* 1998;158:352-7.
- WOLFOS1995** Wolf-Ostermann K, Luttmann H, Treiber-Klötzter C, Kreienbrock L, Wichmann HE. Kohortenstudie zu Atemwegserkrankungen und Lungenfunktion bei Schulkindern in Südwestdeutschland. Teil 3: Einfluss von Rauchen und Passivrauchen. (Cohort study on respiratory diseases and lung function in schoolchildren in Southwest Germany. Part 3: Influence of smoking and passive smoking). *Zentralbl Hyg* 1995;197:459-88.
- WONG1992** Wong CM, Spiegelhalter DJ. Effects of environment and passive smoking on the respiratory health of children [Letter]. *Int J Epidemiol* 1992;1031.
- WRIGTH1989A** Wright AL, Taussig LM, Ray CG, Harrison HR, Holberg CJ. The Tucson children's respiratory study II. lower respiratory tract illness in the first year of life. *Am J Epidemiol* 1989;129:1232-46.

- XU1999** Xu B, Pekkanen J, Järvelin M-R, Olsen P, Hartikainen A-L. Maternal infections in pregnancy and the development of asthma among offspring. *Int J Epidemiol* 1999;28:723-7.
- XU1999A** Xu X, Yang J, Chen C, Wang B, Jin Y, Fang Z, et al. Familial aggregation of pulmonary function in a rural Chinese community. *Am J Respir Crit Care Med* 1999;160:1928-33.
- YANG1997A** Yang C-Y, Chiu J-F, Cheng M-F, Lin M-C. Effects of indoor environmental factors on respiratory health of children in a subtropical climate. *Environ Res* 1997;75:49-55.
- YANG1998A** Yang C-Y, Lin M-C, Hwang K-C. Childhood asthma and the indoor environment in a subtropical area. *Chest* 1998;114:393-7.
- ZEIGER1989** Zeiger RS, Heller S, Mellon MH, Forsythe AB, O'Connor RD, Hamburger RN, et al. Effect of combined maternal and infant food-allergen avoidance on development of atopy in early infancy: a randomized study. *J Allergy Clin Immunol* 1989;84:72-9.
- ZEIGER1995** Zeiger RS, Heller S. The development and prediction of atopy in high-risk children: follow-up at age seven years in a prospective randomized study of combined maternal and infant food allergen avoidance. *J Allergy Clin Immunol* 1995;95:1179-90.
- ZEJDA1996** Zejda JE, Skiba M, Orawiec A, Dybowska T, Cimander B. Respiratory symptoms in children of Upper Silesia, Poland: cross-sectional study in two towns of different air pollution levels. *Eur J Epidemiol* 1996;12:115-20.
- ZHENG2002A** Zheng T, Niu S, Lu B, Fan X, Sun F, Wang J, et al. Childhood asthma in Beijing, China: a population-based case-control study. *Am J Epidemiol* 2002;156:977-83.